

BALMER LAWRIE & CO. LIMITED.
SBU :GREASES & LUBRICANTS
P-43, HIDE ROAD EXTENSION
KOLKATA – 700 088.
PHONE NO. 033 – 24500153 , FAX NO. 033 – 2439-5160 / 2277
burman.p@balmerlawrie.com

GLK/TE17/330 **E-PROCUREMENT TENDER ENQUIRY**
Dated 14.02.18

Due On 24.02.18 at 15:00 Hours

Dear Sirs,

Please send your **ON LINE BID** for supply of 10 MT +/-10 % of **RBD PALMOLEIN (Non Edible Variety)**, The tender comprises General Conditions of Contract (GCC) for vegetable oils & fats and Specific Conditions of Contract (SCC) as noted hereunder. GCC and SCC shall be read together and are complementary to each other.

(A) General Condition of Contract

The provisions of GCC shall be as enclosed herewith.

(B) SPECIFIC CONDITIONS OF CONTRACT

1.0 TECHNICAL SPECIFICATION:

Moisture, Volatiles & Insolubles	Colour in Lovibond		Saponification value (mgKOH/gm)	Iodine Value (Wij's methods) (gI ₂ /100 gms)	Unsaponifiable Matter % by Wt.max	Acid Value . (mgKOH/g)		Remarks & other Characteristics
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
0.1% max	3R max	Lovibond Scale in 1/4" cell	192 -205	56 to 62	0.50%	0.2	0.5	Cloud Point Basis : 10 units Acceptable upto 12 units

Your offer shall be valid for minimum 30 working days from the due date.

3.0 DELIVERY SCHEDULE

Delivery ; 10 MT immediately with in 7-10 days on receipt of LOI/P.O

4.0 PRICE DETAILS

4.1 Bidder shall submit FOR, BL-Factory price clearly specifying basic price, GST, freight charges, if any.

4.2 The price quoted shall remain firm till execution of the order.

5.0 PAYMENT TERMS

30 days from the date of acceptance of the material after quality inspection by our Quality Assurance (QA) Department.

6.0 QUALITY & ACCEPTANCE OF THE MATERIAL

The successful bidder must ensure the quality and no deviation from the enclosed specifications shall be entertained. The testing done at our QA Department shall be final and binding on the supplier.

7.0 RISK PURCHASE

Without prejudice to other provisions in the tender, in the event supplier fails to supply within the stipulated time, BL shall have the option to procure the product from alternate sources, at the risk and cost of the supplier without further intimation to the supplier.

8.0 EARNEST MONEY DEPOSIT (EMD) & SECURITY DEPOSIT (SD)

EMD of Rs. 15,000/- by Pay Order/Demand Draft from Schedule "A" Bank drawn in favour of Balmer Lawrie & Co. Ltd. shall be submitted with the bid. Bid not accompanying with EMD shall be rejected. EMD of unsuccessful bidders will be released after finalization of order. The EMD amount of successful bidder shall be converted into Security Deposit. SD will be released after 10 days of successful completion of the order. No interest shall be payable for EMD/SD.

Public Sector Undertakings / Enterprises and registered small scale manufacturing units NSIC/MSMED are exempted from payment of earnest money deposit. However, registered Small scale units should enclose a copy of their valid registration certificate to make their bid eligible for consideration

9.0 PRICE REDUCTION FOR DELAYED DELIVERY

Delivery is the essence of the order. In case of delay in execution of the order beyond contractual delivery schedule as stipulated in the enquiry, BL at its option may accept the delayed delivery on price reduced by sum equivalent to one percent (1%) of the value of goods not delivered per week or part thereof delay subject to a maximum of ten percent (10%) of the order value.

10.0 FORCE MAJEURE

Any delay in or failure of the performance of either party hereto shall not constitute default hereunder or give rise to any claims for damage, if any, to the extent such delays/failure of performance is caused by occurrences such as Acts of God or an enemy, expropriation or confiscation of facilities by Governmental Authority, acts of war, rebellion, sabotage or fires, floods, explosions, riots, or strikes. The Vendor shall keep records of the circumstances referred to above and bring these to the notice of BL in writing within three days of occurrence of the event. The amount of time, if any, lost on any of these counts shall not be counted for the contract period. Such a determined period of time lost shall be extended by BL to enable the Vendor to deliver the items within such extended period of time.

Thanking you,

Yours faithfully,
f/Balmer Lawrie & Co. Ltd

Prtik Burman
Jr. Officer (Central Procurement)
Ph- 09836809607
Encl as above.

CONDITIONS FOR ONLINE BID SUBMISSION

Procedure For Bid Submission

The bidder shall submit his response through bid submission to the tender on eProcurement platform at <https://balmerlawrie.eproc.in> by following the procedure given below. The bidder would be required to register on the e-procurement market place at <https://balmerlawrie.eproc.in> and submit their bids online. No offline bids shall be entertained by the Tender Inviting Authority. The bidders shall submit their eligibility and qualification documents, Technical bid, Financial bid etc., in the standard formats prescribed in the Tender documents, displayed in eProcurement web site. The bidders shall upload the scanned copies of all the relevant certificates, documents etc., if required, in support of their eligibility criteria/technical bids in the eProcurement web site. However, bulky documents need not be scanned and uploaded but physical copy of the same should be sent to the Tender Inviting Authority office before the tender opening date. The bidder shall sign on the statements, documents, certificates, uploaded by him, owning responsibility for their correctness/authenticity.

Registration with eProcurement platform:

For registration and online bid submission bidders may contact HELP DESK of M/s C1 India Pvt., Ltd., or they can register themselves online by logging in to the website <https://balmerlawrie.eproc.in>

Digital Certificate authentication:

The bidder shall authenticate the bid with his Digital Certificate for submitting the bid electronically on eProcurement platform and the bids not authenticated by digital certificate of the bidder will not be accepted on the eProcurement platform. All the bidders who do not have Digital Certificates need to obtain Digital Certificate. They may contact Help Desk of C1 India Pvt Ltd.

M/s C1 India Pvt Ltd.

C104, Sector 2 Noida-201301

Contact person:

Mr. Tuhin Ghosh, Ph- 08981165071 : e-mail: tuhin.ghosh@c1india.com

Mr. Tirtha Das, e-mail id : tirtha.das@c1india.com , Contact No: +91-9163254290

Submission of Hard copies:

After submission of bid online, the bidders are requested to submit the demand drafts /Bank Guarantee towards tender fees and / EMD along with other documents as required, to the Tender Inviting Authority before opening of Techno-commercial /Unpriced bid. The bidder shall furnish the original DD / Bank Guarantee and other documents either in person or through courier or by post and the receipt of the same within the stipulated time shall be the responsibility of bidder. BL shall not take any responsibility for any delay or non-receipt of said documents. If any of the documents furnished by the bidder is found to be false / fabricated, the bidder is liable for black listing, forfeiture of the EMD, cancellation of work and criminal prosecution.

The bidder is requested to get a confirmed acknowledgement from the Tender Inviting Authority as proof of submission of hardcopies.

Corrigendum to tender:

The bidder has to keep track of any changes by viewing the addendum / Corrigendum's issued by the Tender Inviting Authority on time-to- time basis in the E-Procurement platform. The Company calling for tenders shall not be responsible for any claims/problems arising out of this.

Bid Submission Acknowledgement:

The user should complete all the processes and steps required for bid submission. The successful bid submission can be ascertained once acknowledgement is given by the system through bid submission number after completing all the processes and steps. Tender Inviting Authority and C1 India Pvt. Ltd. will not be responsible for incomplete bid submission by users. Users may also note that the incomplete bids will not be saved by the system and are not available for the Tender Inviting Authority for processing.

Before uploading scanned documents, the bidders shall sign on all the statements, documents, certificates uploaded by him, owning responsibility for their correctness / authenticity

GENERAL CONDITIONS OF CONTRACT FOR VEGETABLE OILS & FATS

5.0 0 General

- 1.1 The conditions set shall be read in conjunction with other terms & conditions of the tender. Unless repugnant, the term set herein shall reign in the event of contradiction with any other term of the tender. Buyer shall mean Balmer Lawrie & Co. Ltd. And "Seller" shall mean the vendor on whom order has been placed.
- 1.2 Besides being genuine oils conforming to the specifications as given hereinafter, the expressed oils shall be obtained from clean and sound seeds by a process of expression only. It shall be clean and free from rancidity, adulterants, sediment, suspended impurities, foreign matter, separated water, added colouring and flavouring substances. It shall not have been treated with chemicals in any manner and shall have the natural smell, taste, colour, odour and appearance characteristic of the oil.
- 1.3 Solvent Extracted oils shall be obtained by a process of Solvent Extraction using Solvent hexane conforming to IS: 3470-1966 (Food grade solvent). For refined and semi refined grades, it shall be further refined by neutralisation with Alkali, bleached with bleaching earth or activated carbon or both and no other chemical agents being used. For refined grade, it should also be deodourised after bleaching.

6.0 0 Origin of oil

When the contract specified oil produced in a particular station or in a particular area, the Buyer shall be entitled to reject any oil not despatched from that station or from that area.

7.0 0 Quality Average

- 3.1 When deliveries are made against a contract in several lots, they will be accepted only if each individual lot is within the Buyer's maximum permissible limits. The rebates if any, will be calculated on individual lots on the basis of the rebate scales given in the Buyer's specifications.
- 3.2 Individual lots which do not conform to the Buyer's standards as shown by the Buyer's laboratory tests may be accepted only after a basis of indemnification is agreed upon by the Buyer with the Seller's representative. The rebate will be charged on that particular lot only.

4.0 PROCEDURE FOR DRAWING SAMPLES

4.1 Oil in Drums

Sampling must be 100% i.e. sample must be drawn from all the drums in a lot.

If sampling cannot be done on receipt of the drums and drums were lying in a standing-up position, they should be rolled before sampling. Rolling immediately after unloading is not necessary as the drums automatically get rolled at the time of unloading.

Sampling must be done using a clean, dry, glass tube (preferably Pyrex) of about ½ " internal dia. The bucket (polythene) and the sample bottle must be clean, dry and free from any other impurities.

- 4.2 The representative sample consists of 50–50 mixture of top and bottom samples drawn as below :

4.2.1 Bottom Sample

Insert glass tube with free top end closed tightly by placing the thumb till it touches the bottom of the drum. Open thumb, wait for tube to fill. Close free top end again with thumb; withdraw and drain oil into the container.

4.2.2 Top Sample

Insert open glass tube slowly till bottom end touches the bottom of the drum. Close top of the tube; withdraw and drain the oil into the container.

- 4.2.3 Any drum in which the colour of the oil is different or there is separated water or dirt, must be clearly marked and will not be sampled for purposes of preparing as an average sample. Such drums will stand rejected.

4.2.4 Average Sample

The container holds an average (50–50) sample as both top and bottom samples are withdrawn at the same time. Stir well and fill in 4 nos of 8 oz. empty, clean bottles; close with cork and label with all relevant details. Samples are sealed, if necessary, and sent for analysis to laboratory in a locked box.

4.3 Oil in Tank Lorry

Sampling tube is a stainless-steel tube with a float-valve at the bottom. General relevant precautions as given under Oil Sampling in Drums must be followed.

4.3.1 Bottom Sample

Open the bottom valve slowly and allow the oil to flow into a clean bucket and close the valve. Rinse the bucket with the oil. If separated water or extraneous impurities found present, the supplier may be allowed on request to drain out some quantity of oil or reject the supply.

4.3.2 Top Sample

Insert the sampling tube (with float valve at the bottom) through the manhole and allow the oil to enter the tube. Rinse slowly the sampling tube and drain out the oil from the sampling tube. Insert the sampling tube again until it touches the bottom and after a while take the tube out. Empty the tube into the bucket. Repeat to collect more sample. Thoroughly mix the contents of the bucket and fill 4 no of 8 oz. clean bottles.

4.3.3 Average Sample

Empty the bottom and top samples as collected under 1 and 2 above in the bucket. Mix well and the fill in the 4 nos. of 8 oz. bottles. Wipe, close with cork and label with all relevant details. Samples are sealed, if necessary, and sample is sent for analysis to laboratory in a locked box.

- 4.3.4 If there is more than one compartment, one average sample should be drawn for each compartment, and the labels should indicate the corresponding compartment number.

4.4 Oil in Tank Wagons

- 4.4.1 As the bottom outlet of tank wagon is flanged, it is not possible to draw a bottom sample. Hence only the sample drawn from the manhole is treated as the representative sample. All other precautions must be taken as in the case of Tank Lorry.
- 4.4.2 Insert the sampling tube (with float valve at the bottom) through the manhole and allow oil to enter the tube. Rinse well and drain out. Slowly insert the sampling tube again through the manhole until it touches the bottom and after a while take the tube out. Empty into the bucket. Repeat to collect more sample. Thoroughly mix the contents of the bucket and fill 4 nos of 8 oz. clean sample bottles. Close the bottles with cork and label all relevant details. Samples are sealed, if necessary, and one sample is sent for analysis to laboratory in a locked box.

5.0 REBATE SCHEDULE AND OTHER TERMS

5. REBATE SCHEDULE

1

5. Acid Value

1.
3

Single percentage of the value of oil for every percentage in excess of the basic acceptable value upto the maximum limit for the following oils :

- A)**
- 5 Expellar Mustard Oil
 - 6 Coconut Oil
 - 7 Refined Palm Kernel Oil
 - 8 RBD Palmolein
 - 9 Mowrah Oil
 - 10 Castor Oil
 - 11 Karanjia Oil

B) SOLVENT EXTRACTED GROUNDNUT OIL GRADE I & GRADE II

5. Acid Value

2.
1

Rebate of single percentage of the value of oil for every percentage in excess of 1.25% upto 2.5%

Rebate of 1.5 percentage of the value of oil for every percentage in excess of 2.5% upto 5% in addition to rebate applicable upto 2.5%.