

BALMER LAWRIE & CO. LTD.
SBU : GREASES & LUBRICANTS
P-43 HIDE ROAD EXTENSION KOLKATA 700088
PHONE NO. 033-24505-300
FAX NO. 033-2439-5160 / 2277
E-mail:burman.p@balmerlawrie.com

Enquiry No: GLK/TE18/074
Date: 11.06.18

TENDER ENQUIRY

Due on: 21.06.18 [15:00 Hrs IST]

M/s

Dear Sirs,

Please arrange to send your sealed offer for supply of 1.5 MT (+/- 5%) of **Calcium Acetate** as per following specifications:

Parameter	Value
Appearance	Free Flowing White Powder, Soluble in water and slightly Soluble in alcohol.
Assay, % [Dried basis]	98.0 min.
Loss on drying (Constant wt at 200°C)	7% max
Solubility in water at 25 °C,min	35 g /100 ml (The solution should not contain any suspended Particles or sediments)
pH of 10% solution	7.0 to 8.5
Water Content	6% max

Packing: The packing shall ensure prevention of ingress/absorption of moisture into the Calcium Acetate. Two closely woven new HDPE bags of 65 x 75 gm weight per bag of 24 x 40 inches dimension with one bag placed within other bag. The inner bag should have inside lining of extra thick PVC liner of 25 x 42 inches

Your offer should be on **Door Delivery** basis clearly specifying Basic price,GST percentage,HSN number of the material delivery period, packing size, if any, etc.

Delivery Schedule: Within 10-15 days to reach our factory from the date of Purchase Order/LOI

Validity: Offer validity shall 30 days from due date.

Payment terms: 30 days from date of receipt of material.

You must mention your **PAN, GST details and the factory address** from where the material would be coming to our plant

Offer shall clearly indicate the following:

- 1.Material is hazardous or not for users health?
- 2.Does product cause any kind of environmental pollution?
- 3.System to control air emissions, effluents and hazardous waste disposal system to comply with regulatory requirement?
- 4.Do any of your operations results in the creation of hazardous waste? If yes, is there a system in place to identify and properly dispose of hazardous waste?

Note: 1. Order quantity may be split or changed as per requirement.

Please note that bid of any bidder may be rejected if a conflict of interest between the bidder and the Company is detected at any stage. Your offer confirming acceptance of quality assurance, indicating the above reference number should reach us latest by 21.06.18 up to 15:00 hours IST.

[Sample for Calcium Acetate must reach us immediately for our evaluation and testing and your respective offer should reach us before due date of tender].

f/Balmer Lawrie & Co. Ltd

Pratik Burman
Junior Officer (Central Procurement)
Ph- 09836809607