



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

e-Tender Enquiry

e-Tender No. : GLS/TE19/058

Date: 06/11/19

Due date : 19/11/19 till 6.00 PM

Sub: Online offers [Two Part Bid] are invited for Construction of RCC Road in front of FG Shed and Skirt wall.

Balmer Lawrie & Co. Ltd. , a leading manufacturer of greases and lubricants in India , invites “Online Offers [Two Part Bid]” for the work stated above (subject). The execution/completion of the work needs to be done as per Instruction to Tenderers , General terms & Conditions, HSE Rules and Scope of Work & Price Schedule enclosed in annexure - A, B, C & D respectively.

The rates are to be quoted “online only” as per format given on our website though the Price Schedule appears in this Tender Notice too. Your **Un-Priced** Bid/Technical Bid along with EMD [Earnest Money Deposit], complete in all respects should be submitted in a sealed envelope whereas only the **Price Bid** should be submitted online. The sealed envelope clearly mentioning the tender reference no. on the envelope must reach us on or before the due date at the address given below.

Manager – Purchase
Balmer Lawrie & Co. Ltd.,
Grease & Lubricant Division,
Survey No. 201/1, Sayali-Rakholi Road
P.O.- Sayli Village,
Silvassa – 396230.

Price/Rate has to be uploaded online only. Tender/offer of the Vendors who send the price bid along with technical bid or over email or fax would be rejected.

Yours faithfully,

for Balmer Lawrie & Co. Ltd.

Manager (Purchase)

Contact Person:

Signature with official stamp

Contact Number:

Page 1 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

Annexure-A

1.0 Instruction to Tenderers

- 1.1 Before filling up, the complete Tender Specification should be read properly. If the tenderer finds any discrepancy, omission, ambiguity or conflict in or among the documents forwarded or asked for or be in doubt as to their meaning and interpretations, such matter shall be brought to the attention of Balmer Lawrie & Co. Ltd. (hereinafter referred to as BL), at least four working days before/prior to the date of filling/submission of the Tender.
- 1.2 Tenderers shall visit the site and make themselves thoroughly acquainted with the nature and requirements of the job, facilities for access of site, removal and storage of unwanted material at site as per the BL' instruction.
- 1.3 In case tenderers wants to communicate/provide any other information, they should enclose a separate sheet, in the sealed envelope along with EMD, provided their statement is not in contradiction to the terms and conditions of the tender.
- 1.4 Submission of tender will be construed as a conclusive evidence that the tenderer has fully satisfied themselves as to the nature and scope of the work, site conditions and all other factors, affecting the performance of the job and the cost thereof.
- 1.5 The contractor shall cover the insurance of all workmen and other persons employed by the contractor and subcontractor against accident, injury & death till the completion of job.
- 1.6 The material deployed/stored by the contractor in the premises of BL will be at the sole risk of the contractor and BL will no way be responsible for its safety.
- 1.7 Contractor shall maintain the site neat and clean. All material shall be stored neatly in storage space allotted to them and shall take care that no obstruction is made for free movement.
- 1.8 Contractor shall remove all wreckage, rubbish/scrap etc from site and stack the wastage at the space allotted for the purpose. On completion of the works, the contractor will keep the space clean and fit for occupation to the satisfaction of the company and demolish store, remove all debris/scrap, waste and surplus material supplied/created by them. In case the contractor does not maintain good housekeeping, the company has the right to get the work done and debit the cost to the contractor.
- 1.9 Proper safety precautions and measures to be taken bearing in mind the principle of "Safety Comes First" during the entire contract period. The contractor shall be bound to bear any claim or compensation for the accidents, injury and death arising out of negligence on their part to ensure such safety measures including the expenditure for defense legal proceedings.

Contact Person:

Signature with official stamp

Contact Number:

Page 2 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

1.10 Care shall be taken to provide and maintain the following safety measures and statutory safety rules and act in force.

- a) Ladders and scaffoldings shall be provided for the work that cannot be done from the ground. Portable single ladders shall not be more than 8 meters. Additional labour should be provided for folding the ladders. Over hung platforms and platforms provided for the ladders and scaffoldings shall be of minimum 300 mm wide and shall be with rising of minimum 1000 mm high.
- b) Safety belts and helmets etc., to be provided to the workers working at high elevations/risk areas.
- c) Fabrication and welding gangs should be provided with gloves, protection, goggles, welding helmet etc.
- d) Hoisting machines and tackles including their attachments, anchorage and supports of adequate capacity should be used for handling heavy equipments and panels.
- e) Workmen engaged in electrical work should be provided with gloves, and footwear's of adequate insulation value.
- f) Workmen engaged in toxic chemicals, paints etc should be provided with gumboots, gloves, goggles mask and other protective attachment depending upon the depth of expected hazard.
- g) All safety requirements depending on the nature of work should be provided to minimize the occurrence of accidents.

1.11 **Pre-Qualification Criteria:**

- Vendor should have experience for similar type of job. Vendor has to provide 3 work orders of similar type of jobs in last three years.
- At least One work order should be of Value of minimum 25 Lacs or two work orders of minimum 15 Lacs each executed in any of the last three years for similar job.
- Minimum Annual Turnover should be Rs1 crore in last three years individually.

Contact Person:

Signature with official stamp

Contact Number:

Page 3 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

Annexure-B

2.0 **General Terms & Conditions:-**

- 2.1 **General instruction:** - Do not leave any space blank or incomplete, write NA/NIL/Free wherever applicable. Each page of the offer (enclosures) has to be acknowledged by the bidder with their acceptance (signature & company stamp). In case of offer, which are not found in line with our guidelines and Terms & Conditions, may subject to rejection. If the tenderer find any discrepancy, omission, ambiguity or conflict in or among the documents forwarded or be in doubt as to their meaning and interpretations, such matter shall be brought to the attention of the BL (Balmer Lawrie & Co. Ltd.), at least four days before/prior to the date of filling/submission of the Tender.
- 2.2 **Submission of offer:** - Bidder shall submit their technical [unpriced bid] and price bids online only as per instructions, terms and procedure given in tender document. However 1 set of tender document along with EMD and other supporting documents , **but without "Price Bid"** has to be submitted in sealed envelope as stated above before due date of tender.
- 2.3 **Acceptance of offer & placement of order:** BL reserve the right to reject/accept all or any offer(s). A tenderer must have to quote for all the items/heads provided in Annexure- D In case of offer, where price for all the items/head are not quoted, such offer may be rejected. Purchase/work order will be placed on single **technically & commercially qualified vendor**, whose total price **stands lowest**. Here it is worth mention that price offer of technically qualified bidders would be open and considered for final evaluation.
- 2.4 **Jurisdiction:** - All disputes are subject to Silvassa jurisdiction.
- 2.5 **Completion period:** The completion period for the entire job should be 70 days from the date of placement of LOI/PO. The job shall be carried out at our works at **Survey No. 201/1, Sayli, Silvassa -396 230**.
- 2.6 **Liquidated damages:** In case of failure to complete the job within the scheduled period by the successful vendor, a pre-determined liquidated damages will be recovered @ 0.5% per week subject to a maximum of 5.0% of the basic value of job executed.
- 2.7 **EMD:** [As per details given below] and Offer without EMD would not be accepted from Non-MSME vendors. Please refer below for more details.

Tenderers /Bidders are required to pay an EMD amount of Rs 20,000 by way of Demand Draft / A/C Payee pay order/ Bank Guarantee / NEFT/RTGS/IMPS/ Online Transfer. Proof of the same has to be submitted along with the unpriced bid.

The Demand Draft should be drawn in favor of "Balmer Lawrie & Co. Ltd" payable at Silvassa for EMD.

Contact Person:

Signature with official stamp

Contact Number:



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

EMD in the form of Bank Guarantee as per the company's specified format may also be submitted.

EMD/Security Deposit can also be paid directly to our HDFC Bank Limited (Account No. 00740110000057 NEFT Code - IFSC "HDFC0000074") through electronic transfer and proof of transfer of funds should be deposited with us.

EMD of the unsuccessful bidders will be refunded after finalization of Tender. EMD shall not bear any interest. EMD of successful tender may be retained as part of security Deposit.

Provisions for MSME Vendor:-

- a) MSME vendor must confirm that UAM No has been uploaded on CPPP website as required by minister vide circular no F:No21(17) / 2016 dated 06.04.18 for qualifying to be considered as MSME vendor under this tender.
- b) Micro & small scale manufacturing units, registered under MSME/ NSIC, also complying clause of EMD: in the tender are exempted for submission of EMD amount.

2.8 **Price schedule:** The price shall be quoted as per specified format given in Annexure-D. The price should be quoted for all the items as per scope of work given in the same annexure.

2.9 **Payment terms:** - 90 % of PO value will be released within 30 days from the date of submission of certified Bill (by BL) on completion of job, along with all required documents, material supply-challan etc. and Balance 10% of PO Value shall be kept as retention money & will be released after completion of guarantee period without any interest or against submission of performance bank guarantee.

Performance Bank Guarantee (PBG) shall be furnished in specified format of Balmer Lawrie & Co. Ltd. and shall be valid for one year from the date of successful commissioning. PBG can also be paid directly to our **HDFC Bank Limited (Account No. 00740110000057 NEFT Code - IFSC "HDFC0000074")** through electronic transfer and proof of transfer of funds should be deposited with us.

2.10 **Guarantee Period:** - 12 (twelve) months from the date of successful completion of the job. During this guarantee period the performance/quality of the construction has to be in line with the expected/agreed quality as per tender/PO and if not then the vendor has to replace/rectify the item/s at NO EXTRA COST TO BL and to the satisfaction of BL.

2.11 **Validity of offer:** - The offers shall remain valid for a period of 60 days from the date of the offer.

Contact Person:

Signature with official stamp

Contact Number:



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

- 2.12 **Working days & hours:** All work required to be carried at BL's site, shall be done only during working days between 8:30 am to 5:00 pm.
- 2.13 **Factory Rule:** Your engineers/ workmen have to abide by the BL factory rules and regulations. Only adult and skilled workmen shall be allowed to work in BL premises.
- 2.15 **Responsibility of the vendor:** The vendor shall be responsible for any damage caused to the property and/or machinery (including its any part) of BL, directly and/or indirectly incidental to and connected with the execution of the work and shall be liable to indemnify the value of such damaged property and/or machinery.
- 2.16 The vendor should compulsorily follow all the provisions of **GST Law** and in the event of any default of complying with any of the provisions of the GST Law, Balmer Lawrie would exercise the right for non-payment / withholding payment / black listing the vendor.
- 2.17 Vendor has to submit all the gate entry challans along with final bill for all the machine/materials which would be used in said job duly signed and stamped by our security personnel and certified by our representative on respective dates.
- 2.18 **Site facilities by BL :**
- (i) Power supply : Free at one point, any extension by vendor.
 - (ii) Water supply : Free at one point, any extension by vendor.
 - (iii) Storage : Space by the company and security by vendor.
- 2.19 Tenderer must contain any other information/enclosures as may be needed to complete the schedule supply & Service in all respect on a separate page/sheet under "schedule of deviations", however technical specification as mentioned in above "**Annexure-D**" are 'fixed'.
- 2.20 Submission of tender will be the conclusive evidence as to the fact the tenderer has fully satisfied themselves as to the nature and scope of 'supply/Service, General terms and conditions and all other factors', affecting the performance of the contract and the cost thereof.
- 2.21 **TENDER CANCELLATION CLAUSE:** Balmer Lawrie & Co Ltd (BL) may at its own discretion cancel the tender process at any time [whether before or after tender submission date] due to any unforeseen / unavoidable circumstances or due to any other reason. BL is not liable to provide any reason to the participants/ bidders in said tender for the same.

Contact Person:

Signature with official stamp

Contact Number:

Page 6 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).

Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

Annexure – C

HSE Chapter

In order to achieve the tender goal in a very smooth & SAFE manner, all the Bidders are required to comply with this HSE chapter, before, during and after the tender finalization or related job execution, in following prescribed procedure:

Questionnaire for HSE Pre-Qualifications of contractors:

Contactoer Details	
Company Name	
Contact Person for HSE	
Mobile Number	
e-Mail Address	

Guidelines for Completion of Questionnaire

- i. The potential bidder is to ensure that the answers provided are focussed against the activities indicated in the pre-tender document.
- ii. Contractor shall provide information that is authentic with documentary evidences as applicable.
- iii. Even after getting pre-qualified, if it comes to the notice that non-authentic documents are provided, the Contractor may be disqualified and if any Contract is in place, it may be terminated immediately and no compensation will be provided for such termination.
- iv. BL shall have right to check Contractors records to verify the authenticity of the documents, during the contract period.

	Question	Response	
		Yes	No
1	Do you confirm that you will comply with BL HSE Policy while working in BL premises	<input type="checkbox"/>	<input type="checkbox"/>
2	Have you identified, documented and maintained your Health and Safety risk assessment of your activities?	<input type="checkbox"/>	<input type="checkbox"/>
3	Have your employees received HSE training appropriate to the task they will undertake?	<input type="checkbox"/>	<input type="checkbox"/>
4	Do you carry out regular medical examination for your employees?	<input type="checkbox"/>	<input type="checkbox"/>
5	Is your company free from any charges or notices served by the regulatory authorities in relation to HSE in the last 3 years?	<input type="checkbox"/>	<input type="checkbox"/>
6	Do you have any procedure of reporting HSE Incident and investigation?	<input type="checkbox"/>	<input type="checkbox"/>

Contact Person:

Signature with official stamp

Contact Number:



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

	Please provide your accident data for the current year and the previous two years Note: this must include the data of any contractors working for your organization.	Current Year	Previous Year -1	Previous Year -2	Period Average (Three years average)
1	Number of Fatalities, if any				
2	Number of Environmental Incidents reported to Pollution Control Board				
3	Number of accidents with 2 or more days lost time(LTI)				
4	Man Days Lost				
5	Total Hours Worked				

Name	Position	Date	Signature

HSE Requirements BY CONTRACTORS (To be a part of contract documents)

1.0 Housekeeping

Contractors shall ensure that their work area is kept clean tidy and free from debris. The work areas must be cleaned on a daily basis. Any disposal of waste shall be done by the Contractor.

All equipment, materials and vehicles shall be stored in an orderly manner. Access to emergency equipment, exits, telephones, safety showers, eye washes, fire extinguishers, pull boxes, fire hoses, etc. shall not be blocked or disturbed.

2.0 Confined Space

Before commencing Work in a confined space the Contractor must obtain from BL a Permit to Work, the Permit to Work will define the requirements to be followed.

As minimum Contractors must ensure the following:

- i. Confined spaces are kept identified and marked by a sign near the entrance(s).
- ii. Adequate ventilation is provided
- iii. Adequate emergency provisions are in place
- iv. Appropriate air monitoring is performed to ensure oxygen is above 20%.
- v. Persons are provided with Confined Space training.
- vi. All necessary equipment and support personnel required to enter a Confined Space is provided.

Contact Person:

Signature with official stamp

Contact Number:



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

3.0 Tools, Equipment and Machinery

The Contractor must ensure that all tools & equipment provided for use during the Work is:

- suitable for its intended use;
- safe for use, maintained in a safe condition and where necessary inspected to ensure this remains the case (any inspection must be carried out by a competent person and records shall be available);
- Used only by people who have received adequate information, instruction and training to use the tool or equipment.
- Provided with Earth leakage circuit breaker (ELCBs) at all times when using electric power cords. Use of electrical tape for temporary repairs is prohibited.

4.0 Working at Height

Any Work undertaken where there is a risk of fall and injury is considered to be working at height.

For any Contractor Personnel working at height, Contractors shall provide fall prevention whenever possible and fall protection only when fall prevention is not practicable. Before commencing Work in a height the Contractor must obtain from BL a Permit to Work, the Permit to Work will define the requirements to be followed.

Supervisor must be present at all point of time, to ensure no deviation occur during the course of work.

5.0 Fall Prevention System

Fall prevention systems (e.g. fixed guardrails, scaffolds, elevated work platforms) must provide protection for areas with open sides, including exposed floor openings.

6.0 Fall Protection Systems

Where fall protection systems are used then the Contractor must ensure the following is applied:

- i. Only approved full body harness and two shock-absorbing lanyards are used,
- ii. Prior establishment of a rescue plan for the immediate rescue of an employee in the event they experience a fall while using the system,
- iii. Anchorage points must be at waist level or higher; and capable of supporting at least the attached weight,
- iv. Lifeline systems must be approved by BL before use.
- v. Use of ISI marked industrial helmet at all point of time.

Contact Person:

Signature with official stamp

Contact Number:



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

7.0 Scaffolding

All scaffolds shall subject to a documented inspection by a competent person and clearly marked prior to use. The footings or anchorage for scaffolds shall be sound, rigid and capable of carrying the maximum intended load without settling or displacement. All scaffolding materials should be of MS tubular type.

Guardrails and toe-boards shall be installed on all open sides and ends of scaffold platforms. Scaffolds shall be provided with an access ladder or equivalent safe access. Contractor Personnel shall not climb or work from scaffold handrails, mid-rails or brace members.

8.0 Stairways and Ladders

Ladders should only be used for light duty, short-term work or access in line with the below and the Site Requirements.

- a. Fabricated ladders are prohibited.
- b. Ladders will be secured to keep them from shifting, slipping, being knocked or blown over.
- c. Ladders will never be tied to facility services piping, conduits, or ventilation ducting.
- d. Ladders will be lowered and securely stored at the end of each workday.
- e. Ladders shall be maintained free of oil, grease and other slipping hazards
- f. Ladders will be visually inspected by a competent person and approved for use before being put into service. Each user shall inspect ladders visually before using.
- g. Ladders with structural defects shall be tagged "Do Not Use," immediately taken out of service, and removed from the Site by the end of the day.

9.0 Roof Work/Access

Roof work and access to roofs must not be undertaken without prior authorization from BL.

10.0 Overhead Work

A secure exclusion zone shall be maintained by Contractor below overhead work to prevent access. It is forbidden to work beneath a suspended load.

Contact Person:

Signature with official stamp

Contact Number:



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

11.0 Lifting Operations

Cranes and Hoisting Equipment

Contractors shall operate and maintain cranes and hoisting equipment in accordance with manufacturers' specifications and legal requirements.

Only Contractor Personnel trained in the use of cranes and hoists are permitted to use them.

Lifting Equipment and Accessories

All lifting equipment / accessories e.g., slings, chains, webbing, chain blocks, winches, jacks etc. shall be indicated with their safe working load have an identification number visible on the unit and be inspected and tested in accordance with legal requirements.

Damaged equipment / accessories and equipment shall be tagged "out of use" and immediately removed from Site.

12.0 Lockout Tag out ("LOTO")

Prior to performing work on machines or equipment, the Contractor shall ensure that it is familiar with LOTO and Permit to Work procedures and that all of its affected Contractor Personnel receive the necessary training.

13.0 Barricades

Floor openings, stairwells, platforms and walkways, and trenching where a person can fall any distance shall be adequately barricaded and where necessary, well lit. Where there is a risk of injury from a fall then rigid barriers must be used.

Barricades must also be used to prevent personnel entering an area where risk of injury is high e.g., during overhead work activity or electrical testing etc. Such barricading must provide clear visual warning.

14.0 Compressed Gas Cylinders

Gas cylinder shall be securely stored and transported, and identified and used in line with the local requirements. Hose lines shall be inspected and tested for leaks in line with local requirements. Flash Back arrestor to be used to prevent any explosion due to back fire.

Contact Person:

Signature with official stamp

Contact Number:



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

15.0 Electrical Safety

Prior to undertaking any work on live electrical equipment the Contractor must obtain a Permit to Work from BL. Where ever possible live work should be avoided. Any control measures highlighted shall be implemented prior to work commencing.

The below measures will be taken:

- a) Work practices must protect against direct or indirect body contact by means of tools or materials and be suitable for work conditions and the exposed voltage level.
- b) Energized panels will be closed after normal working hours and whenever they are unattended. Temporary wiring will be de-energized when not in use.
- c) Only qualified electrical Contractor Personnel may enter substations and/or transformer and only after being specifically authorized by BL.

16.0 Hot Works

A Permit to Work must be obtained from BL prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects.

Prior to the use of temporary propane or resistance heating devices approval must be obtained from BL.

17.0 Trenching, Excavating, Drilling and Concreting

A Permit to Work must be obtained from BL and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work.

Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions. Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night.

18.0 Environmental Requirements

Waste Management

The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for BL to review at any time and may be subject to BL's prior approval.

Wastes (includes rinse from washing of equipment, PPE, tools, etc) are not to be poured into sinks, drains, toilets, or storm sewers, or onto the ground. Solid or liquid wastes that are hazardous or regulated in any way are not to be disposed of in general site waste receptacles.

Contact Person:

Signature with official stamp

Contact Number:

Page 12 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

Spills

The Contractor is responsible for the provision of adequate spill kits/protection and the clean-up and disposal costs arising from such spills.

19.0 Emissions

The Contractor shall identify and quantify any emission sources associated with the Works. The control measures associated with these emission shall be subject to the approval of BL. Emissions include but are not limited to noise, dust, fumes, vapours.

Last date for submission of on line bid 19.11.19 till 6.00 PM

For Balmer Lawrie &Co.Ltd

Manager (Purchase)

Contact Person:

Signature with official stamp

Contact Number:

Page 13 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

Annexure - D

e-Tender No. : GLS/TE19/058 Date: 06/11/19 Due date : 19/11/19 till 6.00 PM

Scope of work & price schedule

- (1) It may kindly be noted that the quantity mentioned in price schedule are notional only, the payment to the vendor shall be made on the basis of actual quantity/ measurement (as the case may be) to complete the said item/head. A joint measurement (BL & Vendor) to be taken after completion of said job.
- (2) The bidders MUST visit the site and understand the nature of the various jobs in details before quoting price.
- (3) The loading/ unloading of the supplied items will be arranged by the contractor at their own cost.
- (4) Cement to be used OPC53 grade (AMBUJA / ULTRATECH / L&T / Birla or any other reputed brand that is approved , in advance , by the Engineer-in-Charge. Vendors should check with the Engineer-in-Charge about the acceptance of type/brand of the cement to be used before they quote.
- (5) Reinforcement steel to be used of TATA / JINDAL / SAIL/ ESSAR or any other reputed brand that is approved , in advance , by the Engineer-in-Charge. Vendors should check with the Engineer-in-Charge about the acceptance of type/brand of the steel to be used before they quote.

Conti....

Contact Person:

Signature with official stamp

Contact Number:

Page 14 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

e-Tender No. : GLS/TE19/058 Date: 06/11/19 Due date : 19/11/19 till 6.00 PM

Construction of RCC Road in front FG Shed (Grease) and Skirt wall.					
Item No.	Description of Items	Qty	Unit	Rate (in Rs)	Amount (in Rs)
1.0	EARTHWORK				
1.1	Breaking of Bituminous / RCC road and dispose the generated debris at contractor's place outside the BL premises.	650	SqM		
1.2	Earthwork in excavation in all types of soil & Bitumen for foundation, trenches, drain, etc. up to a maximum depth of 1.5 m from finished ground level and minimum 0.3 m, grade and dressing completely as per directions of Engineer-in-Charge both dry and wet conditions including dewatering, slush removal, shoring etc. Disposal of unused excavated materials (outside the BL premises) at contractor's place.				
a)	Excavation in all types of soil other than rock as per specification	650	SqM		
1.3	Providing & laying minimum 100 mm Thick Rubble Soling Including Ramming, Watering, Compacting, Leveling and all necessary job Etc. to complete it as per specifications and as directed by Engineer-in-Charge.	650	SqM		
2.0	PLAIN & REINFORCED CONCRETE				
2.1	Providing, mixing, compacting laying in position and curing ordinary lean concrete (PCC) for road construction. including shuttering complete as per specifications and as directed by Engineer-in-Charge.				
a)	Mix 1:3:6 (with 20mm & down stone aggregates)	70	CuM		
2.2	Providing & laying RMC M-25 (with 20mm & down stone aggregates) for road work, premixing flooring laying with extracting excess water trowel ling & finishing with tremix machine complete with cutting grooves(8 mm x 20 mm & including bitumen joint filling curing etc. completed in 650 SqM area.				
a)	RMC M-25 (1 : 1 : 2), Concrete 200mm thick (with 20mm & down stone aggregates)	135	CuM		

Conti....

Contact Person:

Signature with official stamp

Contact Number:

Page 15 of 16



Balmer Lawrie & Co. Ltd.

(G & L- Silvassa)

(A Government of India Enterprise)

Survey No. 201/1, Sayli, Sayli-Rakholi Road, Silvassa-396230 (D&NH).
Phone- 9099084731, 9099084732: Extn 12, E-mail srivastava.sk@balmerlawrie.com

e-Tender No. : GLS/TE19/058 Date: 06/11/19 Due date : 19/11/19 till 6.00 PM

Construction of RCC Road in front FG Shed (Grease) and Skirt wall.					
Item No.	Description of Items	Qty	Unit	Rate (in Rs)	Amount (in Rs)
b)	Construction of Skirt Wall : Providing & laying RMC M-25(1 : 1 : 2) (with 20mm & down stone aggregates), height and width 200mm each, reinforce steel to be use approx. 3.5 kg/m including placement of 3" dai heavy duty PVC pipe, plastering, painting with yellow-black shed (Asian/burger or equivalent quality paint) for all road side skirt wall. Plaster thickness Avg. 16mm thick 1:4 cement-sand mortar. (Skirt wall cost per meter should be excluding steel price and the used steel quantity to be consider for billing from price Schedule, Item no 3)	120	M		
c)	Providing, erecting and removing formwork of approved quality at all elevations for concrete work including shuttering, propping, removal of formwork and rendering of surface as per specification.	100	SqM		
2.3	Supply & laying Hardener Over the road work (4.5Kg/m2).	600	SqM		
3	Providing, Cutting, bending, binding and laying in position, reinforcement as per drawings at all elevations (for road, Skirt wall, including removal of scales, dust, grease etc. and rendering of surface, placing concrete cover blocks, chair supports etc. complete with preparation of bar bending schedules (steel 6.5kg/m2, for road only 10mm bar and for skirt wall 10mm and 8mm bar) and obtaining approval for the same.	4800	Kg		
4	SUB TOTAL				
5	GST AS APPLICABLE				
6	GRAND TOTAL				

There is provision of 10% Variation in quantity and job value as per actual site requirement.

Contact Person:

Signature with official stamp

Contact Number: