

SBU – Industrial Packaging, 5, J. N. Heredia Marg, Ballard Estate, Mumbai- 400001, India Tel. No. 091 - 022 –66258215/66258208 Fax No. 091 - 022 – 66258200

#### **NOTICE INVITING TENDER**

Tender No. 0100LE1977 DTD. 12.10.2021

Due date of Tender: 22.10.2021 Till: 16:00 HRS

Opening of Price Bid: 22.10.2021 at 16:05 HRS

On line Single Bid e-Tender is invited from vendors for "Civil work for New Approach Road and Gate & Paint Storage Shed Modification" for our Barrel Manufacturing Plant at Chittoor, Andhra Pradesh, through Balmer Lawrie e. procurement Portal <a href="https://balmerlawrie.eproc.in">https://balmerlawrie.eproc.in</a>

<u>The bidder should be registered in Balmer Lawrie Web Portal through C1 India for online e.bidding.</u>

<u>Disclaimer - This product and services are not available on GeM and Balmer Lawrie have no objection in providing this information for making available such products/services on GeM</u>

### **Contact details**

Balmer Lawrie & Co.Ltd.	C1 India Pvt.Ltd. 603, Coral Classic,20 <sup>th</sup> Road,
SBU-Industrial Packaging,	Near AmbedkarPark,Chembur
5, J.N. Heredia Marg, Ballard Estate	Mumbai-400 071
Mumbai – 400 001.	
Contact Persons:	1.Ms. Ritu Patil (Mumbai) , +91-0124-4302000 (Ex-236) (Monday-Friday)
1. Mr.P.B. Pawar	Email - ritu.patil@c1india.com
Email id <u>-pawar.pb@balmerlawrie.com</u>	2. Mr. Tirtha Das, Mob +91 -9163254290 Email -
Mobile no -9867290068	<u>tirtha.das@c1india.com</u> (Kolkata / Monday -Friday)
2.Mr. Bhavik Oza Email id – oza.bg@balmerlawrie.com	3.Mr.CH.Mani Sankar (Chennai),+91- 6374241783 Email— <u>chikkavarapu.manisankar@c1india.com</u> (Chennai / Monday - Saturday)
Mobile – 8347596999	4.Helpdesk Support (Kolkata) Email <u>-blsupport@c1india.com</u> - (Monday – Saturday) +91 -8017272644
3.Mr.J.S. Antony	Escalation level 1- Mr. Tuhin Ghosh, Mob. +91-8981165071
Email id- antony.js@balmerlawrie.com	Email – tuhin.ghosh@c1india.com Level 2 -Mr.Sandeep
Mobile- 8985957909	Bhandari sandeep.bhandari@c1india.com +91-8826814007

#### 1. Introduction

Balmer Lawrie & Co. Ltd is a Mini-Ratna-I Public Sector Enterprise under the Ministry of Petroleum & Natural Gas, Government of India along with its six joint ventures in India & abroad. Today it is a much-respected transnational diversified conglomerate with presence in both manufacturing and service sectors. Balmer Lawrie is a market leader in Steel Barrels, Industrial Greases and Specialty Lubricants, Corporate Travel and Logistic Services. It also has significant presence in most other business. It operates, viz, Performance Chemical, Logistic Infrastructures etc. In Industrial Packaging, we are the leading manufacturer of MS Drums, holding the largest market share in India. The Company has a distributed manufacturing base with factories in Chennai, Chittoor, Silvassa, Asaoti, Taloja and Vadodara. Our Plants are ISO Certified and conforms to Safety, Health and environment norms.

#### A. Instructions for bidders.

- 1. Online Single bid e-Tenders is invited from vendors for "Civil work for New Approach Road and Gate" for our Barrel Manufacturing Plant at Chittoor, Andhra Pradesh, as per detailed specification contained in **Annexure-I** of this tender documents.
- 2. Please Refer to Annexure I for detailed Technical Specifications & Scope of Supply.
- 3. The tender is invited in Single-Bid System.
- 4. The tender document consists of **Price Bid Annexure-II.**
- 5. All documents required in the tender can be scanned and submitted online through appropriate forms as attached in the tender.
- 6. Important points to be noted

Due date for submission of bids on Line: 22.10.2021 till 16:00 hrs.

All Bids are to be completed in accordance with tender requirements within the duration as mentioned.

The bidders are requested to bid online within the tender announcement date and tender closing date and time as mentioned in the tender document.

The term <u>"BL"</u> wherever mentioned in the tender document refers to <u>"Balmer Lawrie & Co. Ltd."</u> BL would be the Purchaser/Owner for the tendered item.

### The successful bidder will be the Supplier.

BL reserves the right to accept any bid in full or part.

#### This document is the Tender.

The Acceptance of the Order by the successful bidder will form the contract.

- Micro and Small Enterprises (MSE's) with valid "Udyog Aadhar Memorandum" (UAM) / UDYAM number are exempted from payment of Earnest Money Deposit and eligible to participate and are also eligible for any other benefit applicable to MSE's mentioned in this tender document. Above benefit/s shall be extended only to MSE's whose UAM no. is registered with Central Public Procurement Portal (CPPP) and such MSE are required to submit a declaration for the same as per Annexure –VII A
- Failure to submit aforementioned declaration by the bidder claiming above benefits will be treated as a non-MSE's bidder and such bid shall be cancelled accordingly.

Responses from both registered and unregistered vendors will be accepted.

Contractors, vendors, who are having unresolved issues, disputes, complaints, legal or court cases against the company and bidders with whom Balmer Lawrie have/had any dispute during the last 5 years whether the same has/had been subsequently settled or not, will not be eligible to participate/bid.

The bidder may up-load necessary documents with the on-line bid or furnish in person or through courier / by post and the receipt of the same within the stipulated time shall be the responsibility of bidder. BL shall not take any responsibility for any delay or non-receipt of said documents.

If any of the documents furnished by the bidder is found to be false / fabricated, the bidder is liable for black listing, forfeiture of the EMD, cancellation of work and criminal prosecution.

Unless otherwise agreed to in terms of the purchase order, the price shall be firm till execution of entire order.

#### 7. Corrigendum to tender:

The bidder has to keep track of any changes by viewing the addendum / Corrigendum's issued by the Tender Inviting Authority on time-to- time basis in the E-Procurement platform. The Company calling for tenders shall not be responsible for any claims/problems arising out of this.

#### 8. Format of Tender Document

Tender Documents consist of-

- A. Instruction for bidders
- **B.** Special Terms & Conditions
- C. General Terms & Conditions
- D. Annexure- I Scope of Supply/Work
- E. Annexure- II Price Bid.
- F. Annexure -III Conditions for Online Bid submission
- G. Annexure- IV Format for Bank Guarantee (Advance payment, Security Deposit and Performance Bank Guarantee)
- H. Annexure- V GST Compliance
- I. Annexure VI- Details of Vendor
- J. Annexure VII- Various declarations need to submit along with bid

**Annexure -VII -A - CPPP DECLARATION** 

**Annexure -VII -B -Local Content** 

**Annexure -VII -C - BID SECURITY DECLARATION** 

Annexure -VII -D - RESTRICTIONS ON GROUND OF DEFENSE OF INDIA AND NATIONAL SECURITY

K. Annexure -VIII – Schematic Diagram

The bidder is expected to examine the Tender documents, including all instructions, forms, General Terms & Conditions, Special Terms & Conditions, Technical Specifications and other documents and to fully familiarize itself with the requirements of the bidding documents. Failure to furnish all the information required by the Bidding Documents or the submission of a bid not substantially responsive to the Bidding Documents in every respect may result in the rejection of the Bid.

#### 9. Late Bids

No bidding is admissible in the E.Proc platform after the bid closing time /date.

#### 10. Bid Validity

The offer shall remain valid for a period of four months from the date of opening of the Price Bid.

#### 11. Bid Rejection Criteria

A bid may be rejected -

- If deviations from the terms mentioned in the document affects in any way the scope, quality and performance.
- If Conflict of interest between the bidder and the Company is detected at any stage.
- If the bidder fails to submit the declarations as per Annexure -VII A, B, C and D along with price bid.

#### 12. Clarifications

Clarifications that the Bidder needs to have on the tender specification can be sought from BL within one week from the date of issue of this enquiry.

All clarifications shall be by e-mail (Only email queries shall be replied)

#### 13. Opening of Price Bid

The Price Bid for the tender will be opened on the due date only.

#### 14. Complete Scope of Work

The complete scope of work has been defined in Annexure-I of the tender document. Only those bidders who take responsibility and bid for the complete scope of work may be considered for further evaluation

#### 15. Tender Documents and Deviations

It is expected that bidders will submit bids based strictly on the terms and conditions and specifications contained in the bidding documents and will not stipulate any deviations. **Deviation from technical specifications, as given in the Tender Document-Annexure – I, would invite immediate dis-qualification from further consideration of the bid.** 

#### 16. Preparation and submission of Tender Documents

The bidders are required to fill the tender document in a format as outlined below in the E.Proc platform:

### 16.1 Price Bid (Annexure- III is Price Bid)

The lowest bidder will be decided on the <u>Nett delivered Price on Composite basis</u> in Rupee, for the item mentioned in the scope of supply. Duties, levies charges either as % or value.

Price bid should be filled on line as per the format provided (Annexure-III).

16.2 After submission of EMD and bid online, the bidders are requested to submit the hard copies of necessary documents (which cannot be uploaded) at our Ballard Estate Office at 5, J.N. Heredia Marg, Ballard Estate, Mumbai-400 001 before due date & time.

#### **B. SPECIAL TERMS & CONDITIONS.**

#### 1. <u>Earnest Money Deposit (EMD):</u>

EMD is not applicable to this tender. Bid Securing declaration on company's letter head to be submitted by the bidder along with bid as per annexure – VII (C)

Also, bidder needs to submit all the declarations mentioned below on company's letterhead along with price bid as per format provided in Annexure VII of tender documents.

Annexure -VII -A - CPPP DECLARATION

Balmer Lawrie & Co. Ltd.

SBU: Industrial Packaging

- Annexure -VII -B -Local Content
- Annexure -VII -C BID SECURITY DECLARATION
- Annexure -VII -D RESTRICTIONS ON GROUND OF DEFENSE OF INDIA AND NATIONAL SECURITY

### 2. Security Deposit (SD)

Security Deposit amount of 3 % of the basic order value to be deposited by the successful Bidder in the form of Pay order / Demand Draft in favour of Balmer Lawrie & Co. Ltd, payable at Mumbai.

The Security Deposit may be submitted as Bank Guarantee by a Scheduled Indian Bank within 15 days of receipt of the Purchase Order. Security Deposit can also be made directly to our Standard Chartered Bank (Account No. 222-0-526803-6, NEFT Code - IFSC "SCBL0036046) through electronic transfer and proof of transfer of funds deposited with us.

The Security Deposit if paid by Pay Order/Demand Draft shall bear no interest and shall be refunded through Bank transfer to successful bidder, only on successful delivery/Commissioning of the tendered item and

All sums of compensation or other sums of money as determined, if any, payable by the bidder may be deducted from the Security Deposit.

#### 3. Security deposit is liable to forfeiture in the event of:

- a) Non-Supply after Acceptance of Purchase Order.
- b) Successful Bidder fails to deliver the item as per the terms & condition of the Purchase Order.
- c) Successful Bidder violates the tender conditions.
- d) If the performance of the bidder is found to be unsatisfactory
- **4. Period of Contract / Delivery Period** Entire RCC work shall be completed within **20 weeks** from the date of Start of Job cleared by Site Project Incharge and site clearance from BL.

Site Address -

Balmer Lawrie & Co Ltd (1090)

SBU – Industrial Packaging
62, Patnam Village, Thavanampallee Mandal,
Argonda Road, Chittoor, (Andhra Pradesh) – 517131

#### 5. Payment Terms:

Our payment terms are as follows:

Maximum **80%** of the total payment may be settled through Running Bill(s) (maximum 2 running bills) and final bill duly certified by the Engineer –in -charge.

- First running bill as per actual quantities & rates after completion of approx. **40**% of total work within 15 days after certification of bill/s by site project in charge appointed by the company.
- Second running bill as per actual quantities & rates after completion balance work and maximum up
  to 80 % of total work within 15 days after certification of bill/s by site project in charge appointed by
  the company
- **10% of work value** will be made within 30 days after joint measurement of work areas, duly certified by the Project Supervisor / authorized person nominated by the Company.
- **10% of** the basic value will be retained by BL for 12 months as Performance Guarantee and can be released against submission of bank guarantee.

Excess work, if any, beyond BOQ found necessary by BL & Co. Ltd. during progress of work are to be carried by the contractor after written confirmation at their quoted rates on prorate basis. Payment will be made on actual measurement jointly by Vendor and the site in charge appointed by BL.

Following are the details of designated officer responsible for processing of payment and invoices - For Chittoor: Mr. Pravin Singh// email id- Singh.pk@balmerlawrie.com //Mob no.-9493876406

#### Early payment with discounting for MSME bidder only:

MSME suppliers desirous of availing early payment of 10 days as against standard payment terms as per tender, may do so, with prior intimation to BL. Payments against such Invoices shall be made after deduction of 9.5% interest per annum for the actual number of days by which the payment is preponed as compared to the tendered credit period.

Bidders to note that rates should be quoted based on the standard payment terms as mentioned in the Tender & evaluation of the bids will be done accordingly.

Central Government vide Notification No.50/2018 dated 13th September 2018, has made TDS provision applicable under GST Law on all payments affected by Public Sector Undertaking (PSU) w.e.f 1st October 2018. BALMER LAWRIE being a PSU these provisions will be applicable for all the payments made by BALMER LAWRIE on / after 1st October 2018. TDS shall be deducted @ 2% of taxable value excluding GST. TDS deducted from your payments will be deposited with GST authorities by 10th of the following month and TDS certificates will be issued subsequently.

**6.** Tenderer should quote only rate as per UOM (unit of measurement) basis mentioned in the On-Line Price Format and any other basis is not acceptable. Offer from Bidder should contain all the elements such as Basic rates, GST, etc. Separately.

#### 7. Award & Evaluation of Contract

BL shall place the Purchase order on the Composite Lowest Quoted Bidder for the tender and as such it would be in the interest of the bidders to quote their most competitive price.

Bidders to note that rates should be quoted based on the standard payment terms as mentioned in the Tender & evaluation of the bids will be done accordingly.

Negotiations, if held will be only with the lowest bidder.

#### 9. Transit Risk Insurance

Transit Risk Insurance shall be covered by the bidder from the successful bidder's stock point to BL's plants. Any failure by the bidder to do so shall place the consignment at the bidder's risk.

### 10. Defect Liability Period -

If within one-year period, any structural harm or defect in RCC flooring works carried out is brought to the notice of vendor, such defects shall be rectified by vendor at its own cost, otherwise the work will be carried out by BL and the cost will be debited from the retention money.

The word defect herein above stated shall mean only civil works defects caused on account of poor workmanship, quality or provision of service and shall not mean defects caused by normal wear and tear and negligent use of said civil work etc....

# Balmer Lawrie & Co. Ltd. SBU: Industrial Packaging GENERAL TERMS AND CONDITIONS

#### 1. Introduction

The bidder means the firm or company with whom the order is placed and shall be deemed to include the bidder, successors, representatives, heirs, executors and administrators.

Whenever there is a duplication of clause in the terms and conditions, the clause which is beneficial to BL will be considered applicable at the time of any dispute.

### 2. Scope of Supply

Scope of Supply for the tender shall be as mentioned in Annexure-I.

#### 3. Reference for Documentation

Purchase Order Number must appear on all correspondence, invoices, packing and on any documents or papers connected with the order.

#### 4.Confirmation of Order

The successful bidder shall acknowledge the receipt of purchase order within 7 days following the mailing of this order in writing or through email and shall thereby confirm his acceptance of purchase order in entirely without exceptions

#### 5.Relaxation of Tender Terms & Conditions

BL reserves the right to relax any of the tender conditions, if necessary, while finalizing the tender at its discretion.

#### 6. Rejection of Bids

The bid of any bidder may be rejected if a conflict of interest between the bidder and BL is detected at any state. The decision of BL in this connection will be final.

#### 7. Delay in bidding

Late tenders / delayed tenders will not be accepted by the ON LINE system.

#### **8.RISK PURCHASE**

In case delivery of material / execution of service is not effected as per given schedule, BL reserve the right to cancel the order placed on you, and procure the material/service from any other source and the deduction on account of penalty as well as excess mount to be incurred by BL, would be recovered from the party's due payments or security amount held with BL.

#### 9.LIQUIDATED DAMAGES FOR DELAY IN DELIVERY / QUALITY PROBLEMS

Successful bidder shall have to pay to the company by way of liquidated damages and not as penalty an amount equal to 0.5% of the value of the purchase order so for each week or part thereof such delay in delivery/completion of work, subject to maximum of 5% of the total order value.

### 10.Delay due to Force Majeure

In the event of causes of force Majeure occurring within the agreed delivery terms, the delivery dates can be extended by the tenderer on receipt of application from the bidder within stipulated delivery period. Only those causes that depend on natural calamities, civil wars, national strikes and strikes /lockout at Bidder's works which have duration of more than seven consecutive calendar days are considered the causes of Force Majeure. The bidder must advise BL by a registered letter duly certified by local chamber of commerce or statutory authorities, the beginning and end of cause of delay immediately, but in no case later than 10 days from the beginning and end of such cause of Force majeure condition as defined above.

BL reserves the right to ask Bidder to suspend despatches of goods/materials covered by this order for such period as they may think fit in the event of strikes, accidents or other causes beyond BL's control.

#### 11. Sub-Contracts

The successful bidder shall not assign the Contract in whole or part without obtaining the prior written consent of BL. The bidder shall, notwithstanding the consent and assignment, remain jointly and severally liable and responsible to BL together with the assignee, for and in respect of the due performance of the contract and the bidder's obligations there under.

#### **12.Control Regulations**

Successful bidder warrants that all goods/materials covered by this order have been produced, sold, despatched, delivered and furnished in strict compliance with all applicable laws regulations, labour agreement, working conditions and technical codes and statutory requirements as applicable from time to time. All laws and regulations required to be incorporated in executing this tender are hereby deemed to be incorporated by this reference. Owner can disown any responsibility for any irregularity or contravention of any of the statutory regulations in the manufacture or supply of goods covered in the order. The Bidder shall ensure compliance with the above and shall indemnify tenderer against any actions, damages, costs and expenses of any failure to comply as aforesaid.

#### 13. Vendors Obligation

The vendor shall ensure that no damage is caused to BL's property/or any decorative structure/fittings while carrying out the work. It is obligatory on the part of the vendor to rectify/make good such damages at their own cost. The Tenderer shall remove all unused material, wash and clean the floors at their own cost and hand over the site in proper manner on completion of the work.

The work executed should be got approved by Balmer Lawrie & Co Ltd. and the Tenderer shall rectify any bad workmanship pointed out at any stage and remove from site all the rejected materials immediately.

#### 14. Statutory Compliance

The successful bidder should take coverage under the Workmen's Compensation Act for the workmen employed by them for the commissioning and erection of the items tendered in this tender. The successful bidder should also ensure that all compliances under PF/ESI/Contract Labor Registration etc. as applicable are complied with

#### 15. Termination

Without prejudice to BL's right to price adjustment by way of discount or any other right or remedy available to BL, BL may terminate the Contract of any part thereof by a written notice to the bidder if,

- i. The bidder fails to comply with any material term of the Contract.
- ii.The bidder informs BL of its inability to deliver the item or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- iii.The bidder fails to deliver the item within the stipulated Delivery Period and/or to replace any rejected or defective item promptly.
- iv. The bidder becomes bankrupt or goes into liquidation.
- v.The bidder makes a general assignment for the benefit of creditors.
- vi. A receiver is appointed for any substantial property owned by the bidder.
- vii.The bidder has misrepresented to BL, acting on which misrepresentation, BL has placed the Purchase Order on the bidder.

Upon receipt of said termination notice, the bidder shall immediately stop supply.

On termination of the contract, without prejudice to any other right or remedy available to BL under the contract, in the event of BL suffering any loss on account of delayed delivery or non-delivery, BL reserves the right to claim and recover damages from the bidder in respect thereof. The Security Deposit will be forfeited

#### 16. Arbitration

Any dispute or diffrence arising under this Contract shall be referred under jurisdiction of **Mumbai** to a sole arbitrator to be appointed by the Chairman & Managing Director, Balmer Lawrie & Co. Limited and the provisions of Arbitration Act, 1996 including any statutory modifications or enactment thereof shall apply to the Arbitration proceedings. The fees of the arbitrator, if any, shall be shared equally by both the parties. The award shall be a speaking award stating reason therefor and is final & binding on the parties. The proceeding shall be conducted in English language and courts at **Mumbai** will have exclusive jurisdiction to settle any dispute arising out of this contract.

"In event of any dispute or difference relating to the interpretation and application of the provision of commercial contract(s) between Central Public Sector Enterprises (CPSEs) / Port Trusts inter se and also between CPSEs and Government Departments/Organizations (excluding disputes concerning Railways, Income Tax, Customs & Excise Departments), such disputes or difference shall be taken up by either party for resolution through AMRCD as mentioned in DPE OM no 4(1)/2013-DPE(GM)/FTS-1835 dated 22.05.2018"

### 17. HSE REQUIREMENTS BY CONTRACTORS

#### Housekeeping

Contractors shall ensure that their work area is kept clean tidy and free from debris. The work areas must be cleaned on a daily basis. Any disposal of waste shall be done by the Contractor.

All equipment, materials and vehicles shall be stored in an orderly manner. Access to emergency equipment, exits, telephones, safety showers, eye washes, fire extinguishers, pull boxes, fire hoses, etc. shall not be blocked or disturbed.

#### **Confined Space**

Before commencing Work in a confined space the Contractor must obtain from Owner a Permit to Work, the Permit to Work will define the requirements to be followed.

As minimum Contractors must ensure the following:

- a) Confined spaces are kept identified and marked by a sign near the entrance(s).
- b) Adequate ventilation is provided
- c) Adequate emergency provisions are in place
- d) Appropriate air monitoring is performed to ensure oxygen is above 20%.
- e) Persons are provided with Confined Space training.
- f) All necessary equipment and support personnel required to enter a Confined Space is provided.

#### **Tools, Equipment and Machinery**

The Contractor must ensure that all tools & equipment provided for use during the Work is:

- a) suitable for its intended use;
- b) safe for use, maintained in a safe condition and where necessary inspected to ensure this remains the case (any inspection must be carried out by a competent person and records shall be available);
- c) Used only by people who have received adequate information, instruction and training to use the tool or equipment.
- d) Provided with Earth leakage circuit breaker (ELCBs) at all times when using electric power cords. Use of electrical tape for temporary repairs is prohibited.

#### **Working at Height**

Any Work undertaken where there is a risk of fall and injury is considered to be working at height.

For any Contractor Personnel working at height, Contractors shall provide fall prevention whenever possible and fall protection only when fall prevention is not practicable. Before commencing Work in a height the Contractor must obtain from Owner a Permit to Work, the Permit to Work will define the requirements to be followed. Supervisor must be present at all point of time, to ensure no deviation occur during the course of work.

#### **Fall Prevention System**

Fall prevention systems (e.g. fixed guardrails, scaffolds, elevated work platforms) must provide protection for areas with open sides, including exposed floor openings.

#### **Fall Protection Systems**

Where fall protection systems are used then the Contractor must ensure the following is applied:

Page **9** of **34** 

- i. Only approved full body harness and two shock-absorbing lanyards are used,
- ii. Prior establishment of a rescue plan for the immediate rescue of an employee in the event they experience a fall while using the system,
- iii. Anchorage points must be at waist level or higher; and capable of supporting at least the attached weight,
- iv. Lifeline systems must be approved by Owner before use.
- v. Use of ISI marked industrial helmet at all point of time.

#### Scaffolding

All scaffolds shall subject to a documented inspection by a competent person and clearly marked prior to use. The footings or anchorage for scaffolds shall be sound, rigid and capable of carrying the maximum intended load without settling or displacement. All scaffolding materials should be of MS tubular type.

Guardrails and toe-boards shall be installed on all open sides and ends of scaffold platforms. Scaffolds shall be provided with an access ladder or equivalent safe access. Contractor Personnel shall not climb or work from scaffold handrails, mid-rails or brace members.

#### **Stairways and Ladders**

Ladders should only be used for light duty, short-term work or access in line with the below and the Site Requirements.

- i) Fabricated ladders are prohibited.
- ii) Ladders will be secured to keep them from shifting, slipping, being knocked or blown over.
- iii) Ladders will never be tied to facility services piping, conduits, or ventilation ducting.
- iv) Ladders will be lowered and securely stored at the end of each workday.
- a) Ladders shall be maintained free of oil, grease and other slipping hazards
- b) Ladders will be visually inspected by a competent person and approved for use before being put into service. Each user shall inspect ladders visually before using.
- c) Ladders with structural defects shall be tagged "Do Not Use," immediately taken out of service, and removed from the Site by the end of the day.

#### **Lifting Operations**

#### **Cranes and Hoisting Equipment**

Contractors shall operate and maintain cranes and hoisting equipment in accordance with manufacturer's specifications and legal requirements.

Only Contractor Personnel trained in the use of cranes and hoists are permitted to use them.

#### **Lifting Equipment and Accessories**

All lifting equipment / accessories e.g., slings, chains, webbing, chain blocks, winches, jacks etc shall be indicated with their safe working load have an identification number visible on the unit and be inspected and tested in accordance with legal requirements.

Damaged equipment / accessories and equipment shall be tagged "out of use" and immediately removed from Site.

#### Lockout Tag out ("LOTO")

Prior to performing work on machines or equipment, the Contractor shall ensure that it is familiar with LOTO and Permit to Work procedures and that all of its affected Contractor Personnel receive the necessary training.

#### **Barricades**

Floor openings, stairwells, platforms and walkways, and trenching where a person can fall any distance shall be adequately barricaded and where necessary, well lit. Where there is a risk of injury from a fall then rigid barriers must be used.

Barricades must also be used to prevent personnel entering an area where risk of injury is high e.g., during overhead work activity or electrical testing etc. Such barricading must provide clear visual warning.

#### **Compressed Gas Cylinders**

Gas cylinder shall be securely stored and transported, and identified and used in line with the local requirements. Hose lines shall be inspected and tested for leaks in line with local requirements. Flash Back arrestor to be used to prevent any explosion due to back fire.

#### **Electrical Safety**

Prior to undertaking any work on live electrical equipment, the Contractor must obtain a Permit to Work from Owner. Where ever possible live work should be avoided. Any control measures highlighted shall be implemented prior to work commencing.

The below measures will be taken:

- a) Work practices must protect against direct or indirect body contact by means of tools or materials and be suitable for work conditions and the exposed voltage level.
- b) Energized panels will be closed after normal working hours and whenever they are unattended. Temporary wiring will be de-energized when not in use.
- c) Only qualified electrical Contractor Personnel may enter substations and/or transformer and only after being specifically authorized by Owner.

#### **Hot Works**

A Permit to Work must be obtained from Owner prior to any hot works (welding, grinding, open flame work). Suitable fire extinguishing equipment shall be immediately available. Objects to be welded, cut or heated shall be moved to a designated safe location, or, if they cannot be readily moved, all movable fire hazards in the vicinity shall be taken to a safe place. Personnel working around or below the hot works shall be protected from falling or flying objects.

Prior to the use of temporary propane or resistance heating devices approval must be obtained from Owner.

#### Trenching, Excavating, Drilling and Concreting

A Permit to Work must be obtained from Owner and all underground lines, equipment and electrical cables shall be identified and located prior to beginning the work. The Contractor shall assign a competent Contractor Personnel to all trenching and excavation work.

Safe means of access and egress shall be located in trench excavations. Daily inspections shall be conducted by a competent Contractor Personnel for evidence of a situation that could result in possible cave-ins, indications of failure of protective systems or other hazardous conditions.

Physical barriers shall be placed around or over trenches and excavations. Flashing light barriers shall be provided at night.

#### **Environmental Requirements**

#### **Waste Management**

The Contractor is responsible to remove any waste generated by the work being done on the Site. The Contractor must dispose of the waste in line with the relevant local legislative requirements. The waste disposal route shall be documented and made available for Owner to review at any time and may be subject to Owner's prior approval.

Wastes (includes rinse from washing of equipment, PPE, tools, etc) are not to be poured into sinks, drains, toilets, or storm sewers, or onto the ground. Solid or liquid wastes that are hazardous or regulated in any way are not to be disposed of in general site waste receptacles.

#### Spills

The Contractor is responsible for the provision of adequate spill kits/protection and the clean up and disposal costs arising from such spills.

#### **Emissions**

The Contractor shall identify and quantify any emission sources associated with the Works. The control measures associated with these emission shall be subject to the approval of Owner's Emissions include but are not limited to noise, dust, fumes, vapours.

Company Seal	Signature
	Name
	Designation
	Company
	Date

### D - Annexure-I

## SCOPE OF SUPPLY/WORK & SPECIFICATIONS -

## I-A"Civil work for New Approach Road and Gate & Paint Storage Shed Modification" for our Barrel Manufacturing Plant at Chittoor, Andhra Pradesh.

- Our SBU- Industrial Packaging, Chittoor is having a running Barrel manufacturing Plant at our existing premises at 62, Patnam Village, Thavanampallee Mandal, Chittoor.
- Balmer Lawrie & Co. Ltd is intended to carry out Civil work for Paint Storage Shed Modification
- For timely execution of the project, it would be responsibility of the successful bidder to keep close co-ordination with our Officer in charge

### **Detailed SPECIFICATIOS & BILL OF MATERIALS**

Job details are as given below for Civil Work at Chittoor plant: -

SINO	DESCRIPTION	UNIT	QTY
1	Dismantling cement asbestos Sheets or other hard board ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials within 50 metres lead.	SQM	470
2	Door/Windows Removing: Old MS / Aluminium, window, rolling shutter door removing work and shifting as per site engineer instruction	LS	1
3	Dismantling steel work in built up sections in angles, tees, flats and Pipes including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead. Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.	KG	1000
4			
	Dismantling Work (b): Old structural steel dismantling work and open balance area closing work width 9 m, length 17m open area dismantling as per site engineer instruction	SqM	153
5	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-incharge.	CUM	13
6	Earth work in rough excavation, banking excavated earth in layers not exceeding 20cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller or wooden or steel rammers, and rolling every 3rd and top-most layer with power roller of minimum 8 tonnes and dressing up in embankments for roads, flood banks, marginal banks and guide banks or filling up ground depressions, lead upto 50 m and lift upto 1.5 m	CUM	53

	idustriai i dekaging		
7	Providing and laying cement concrete in 1:4:8 (1 Cement: 4 coarse	CUM	10
	sand: 8 graded stone aggregate 40 mm nominal size) and curing		
	complete, Including cost of form work. In Foundation and floors.		
8	PCC work: Providing and laying plain cement concrete, machine		
	mixed and mechanically vibrated, using 20 mm below size,		
	crushed graded granite aggregate as applicable in foundation etc,	CUM	2
	including curing etc as directed by Engineer -in -charge.1:2:4 mix (		
	1 cement, 2 coarse sand, 4 stone aggregate) with 20mm metal.		
9	Brick work with common burnt clay machine moulded perforated	cum	20
	F.P.S. (non modular) bricks of class designation 12.5 conforming IS		
	: 2222 in exposed brick work including making horizontal and		
	vertical grooves 10mm wide 12 mm deep complete in cement		
	mortar 1:6 (1 cement : 6 coarse sand).(DSR NO 6.30.1) From		
	ground level upto Lental level.		
10	Reinforced cement concrete work in walls (any thickness),	CUM	16
	including attached pilasters, buttresses, plinth and string courses,		
	fillets, columns, pillars, piers, abutments, posts and struts etc.		
	above plinth level up to floor five level, including cost of		
	centering, shuttering, finishing and reinforcement: (DSR NO 5.2.2)		
	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural		
	sources : 3 graded stone aggregate 20 mm nominal size derived		
	from natural sources) M25 Grade for flooring		
11	Existing Structural steel work in single section, fixed with or	KG	1000
	without connecting plate, including cutting, hoisting, fixing in		
	position and applying a priming coat of approved steel primer all		
	complete.		
12	Supply of cold twisted HYSD of Fe 500 steel bars of approved	KG	1250
	make of reputed concern, for RCC work including straightening,		
	cutting, bending, binding and placing in position all as per		
	structural drawings. The cost of binding wire / Mechanical splicing		
	wherever specified shall not be paid extra and will be at the		
	contractor's cost and deemed to be included in the rate.		
13	Providing and laying cement plaster (sponge finish) of 18mm thick	SM	180
	in CM, 1st coat 12mm thick in CM (1:5) and 6mm thick 2nd coat		
	in CM (1:3) for inside walls etc., including scaffolding, at all		
	heights and levels, curing etc., complete as per the specifications		
	and drawings. The rate should include making good chases of		
	electrical conduits, boxes, pipes etc in cement mortar 1:3 and		
	necessary chicken mesh. Rate to include additional thickness if		
	required to achieve perfect line and level. No extra will be		
1.1	payable on this account. Internal & external plaster.	V.C	900
14	Supply and fixing of Sliding gate ( MS SQUARE TUBE AND	KG	800
	CHANNELS,16 gauge GI SHEET) including ms baring wheel and		
	roller& suitable size gas cutting and welding and grinding and		
	epexie painting and fixing of posts including and earthwork all		
1 -	materials, labour, tools, scaffolding etc., complete	NO	1
15	Supply and fixing of sliding gate motor AC servo motor BSH - 3.4	NO	1
	N.m - 2500 rpm - keyed shaft - with brake and rack (27 feet) and		
	starter including fixing ,testing etc., (gate size 27 feet length 4 feet		
1.0	height)	CNA	200
16	Providing and laying pre-cast machine made interlocking pressed	SM	390
	concrete block for rubber mould zig zag design of overall size	]	

	idustriar i dekaging	-	
	200mmx100mmx1000mm (approx) with minimum crushing strength of 50N/m2, dimensional tolerance of +3mm maximum water absorption limit of 3% to 5% and dry density 2.25 T/Cum to 2.375 T/Cum blocks to be laid on coarse sand bed of average 50mm thick properly levelled by machine vibration, sealing, interstices with sand complete with all materials and labour as per direction of Engineer in charge.		
17	Constructing Wet Mix Macadam having 100mm compacted thickness with crushed stone aggregate, complete with all materials, transportation, labour, compaction and rolling with plate vibrator/road roller of capacity 10t etc. as per CPWD/MOST specifications, drawings and instructions of Engineer-in-Charge. The contractor may assess the quantity and grading of stone metal based on the mix design conducted at laboratory in order to optimize the cost. (approx 20% each of aggregate materials ranging from 40mm (over 20mm) down size to 6.5mm).	cum	115
18	Fixing of existing asbestoes sheet ,wall glading work and Jor L bolt including Scalfolding, labour,tools are taken complete etc.,	SQM	150
19	Partition Work for Closing two sides of existing portions of the shed: Old sheet partition work and door, old pipe grouting old sheet fixing work, white wash sheet as per site engineer instruction.	SQM	102
20	Providing and painting two or more coats of APEX WATER PROOF CEMENT PAINT of approved shade, including one coat of cement primer application, including cost and conveyance of all materials, leads and lifts, curing, labour charges etc for external walls as directed. Rate to be applicable at all heights, level surfaces and textures.	SQM	200

#### Note -

- 1. Above are the estimated job work and quantities. Actual jobs and quantities will be finalized on joint measurement to be taken by the Vendor & BL- Representative after completion of work.
- 2. Only +20 % variance on quantities is allowed.
- 3. Interchange of order quantity/Swapping between the SKU within the awarded estimated order value considering (+ 20 % variance) of the contract shall be made by company.

#### Note:

(1) USE cement as below:	Minimum Cement content KG/m3	Maximum face water cement ratio	
a) Supersulphated cement or sulphate resisting Portland cement	330	0.5	
OR			
b) Portland Pozzolana cement or Portland slag cement	350	0.45	
Portland slag cement confirming to IS 455 with slag content more than 50 percent exhibits better sulphate resisting properties			

(2) Cement: Ultratech / ACC / Ambuja / Birla / KCP

#### Contractor's scope of work:

- 1. Carrying out all above civil work with highest standard of quality.
- 2. All labour laws applicable to be followed.
- 3. All safety norms to be followed during complete course of construction.
- 4. To provide all PPE's to the labourers carrying out above jobs.
- 5. Should arrange all necessary machines, electricity, and equipment which are required to carry out above jobs.
- 6. Should arrange necessary scaffolding for height work.
- 7. Should provide all the materials such as Sands, Cement, Bricks, MS Rods, external paint etc., which are required to carry out the above jobs.
- 8. Any Construction waste /dredging management is in contractor's scope.
- 9. Any other materials/jobs which are not listed on the BL scope of work.

### Balmer Lawrie's scope of work:

- 1. Water requirement for the job will be provided by BL, however shifting of water to workplace area to be organized by the contractor.
- 2. Providing Electric Supply.

#### E -ANNEXURE-II - Price Bid

(SAMPLE PRICE FORMAT. NOT TO BE FILLED IN. PRICE SHOULD BE QUOTED ON LINE ONLY)

II-A"Civil work for New Approach Road and Gate" for our Barrel Manufacturing Plant at

Chittoor, Andhra Pradesh.

SINO	DESCRIPTION	UNIT	QTY	RATE	AMT.
SINO	DESCRIPTION	UNIT	QTY		
1	Dismantling cement asbestos Sheets or other hard board ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials within 50 metres lead.	SQM	470		
2	Door/Windows Removing: Old MS / Aluminium, window, rolling shutter door removing work and shifting as per site engineer instruction	LS	1		
3	Dismantling steel work in built up sections in angles, tees, flats and Pipes including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead. Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.	KG	1000		

4	Dismantling Work (b): Old structural steel dismantling work and open balance area closing work width 9 m, length 17m open area dismantling as per site engineer instruction	SqM	153	
5	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.	CUM	13	
6	Earth work in rough excavation, banking excavated earth in layers not exceeding 20cm in depth, breaking clods, watering, rolling each layer with ½ tonne roller or wooden or steel rammers, and rolling every 3rd and top-most layer with power roller of minimum 8 tonnes and dressing up in embankments for roads, flood banks, marginal banks and guide banks or filling up ground depressions, lead upto 50 m and lift upto 1.5 m	CUM	53	
7	Providing and laying cement concrete in 1:4:8 (1 Cement: 4 coarse sand: 8 graded stone aggregate 40 mm nominal size) and curing complete, Including cost of form work. In Foundation and floors.	CUM	10	
8	PCC work: Providing and laying plain cement concrete, machine mixed and mechanically vibrated, using 20 mm below size, crushed graded granite aggregate as applicable in foundation etc, including curing etc as directed by Engineer -in -charge.1:2:4 mix (1 cement, 2 coarse sand, 4 stone aggregate) with 20mm metal.	CUM	2	
9	Brick work with common burnt clay machine moulded perforated F.P.S. (non modular) bricks of class designation 12.5 conforming IS: 2222 in exposed brick work including making horizontal and vertical grooves 10mm wide 12 mm deep complete in cement mortar 1:6 (1 cement: 6 coarse sand).(DSR NO 6.30.1) From ground level upto Lental level.	cum	20	
10	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, including cost of centering, shuttering, finishing and reinforcement: (DSR NO 5.2.2) 1:1.5:3 (1 cement: 1.5 coarse sand(zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources) M25 Grade for flooring	CUM	16	
11	Existing Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	KG	1000	
12	Supply of cold twisted HYSD of Fe 500 steel bars of approved make of reputed concern, for RCC work including straightening, cutting, bending, binding and placing in position all as per structural drawings. The cost of binding wire / Mechanical splicing wherever specified shall not be paid extra and will be at the contractor's cost and deemed to be included in the rate.	KG	1250	
13	Providing and laying cement plaster (sponge finish) of 18mm thick in CM, 1st coat 12mm thick in CM (1:5) and 6mm thick 2nd coat in CM (1:3) for inside walls etc., including scaffolding, at all heights and levels, curing etc., complete as per the specifications and drawings. The rate should include making good chases of electrical conduits,	SM	180	

boxes, pipes etc in cement mortar 1:3 and necessary chicken mesh. Rate to include additional thickness if required to achieve perfect line and level. No extra will be payable on this account. Internal & external plaster.  14 Supply and fixing of Sliding gate ( MS SQUARE TUBE AND CHANNELS,16 gauge GI SHEET ) including ms baring wheel and roller& suitable size gas cutting and welding and grinding and epexie painting and fixing of posts including and earthwork all materials,labour, tools,scaffolding etc., complete  15 Supply and fixing of sliding gate motor AC servo motor BSH - 3.4 N.m - 2500 rpm - keyed shaft - with brake and rack (27 feet) and starter including fixing ,testing etc., (gate size 27 feet length 4 feet height )  Providing and laying pre-cast machine made interlocking pressed concrete block for rubber mould zig zag design of overall size 200mmx100mmx1000mm (approx) with minimum crushing strength of 50N/m2, dimensional tolerance of +3mm maximum water absorption limit of 3% to 5% and dry density 2.25 T/Cum to 2.375 T/Cum blocks to be laid on coarse sand bed of average 50mm thick properly levelled by machine vibration, sealing, interstices with sand complete with all materials and labour as per direction of Engineer in charge.  17 Constructing Wet Mix Macadam having 100mm compacted thickness with crushed stone aggregate, complete with all materials, transportation, labour, compaction and rolling with plate vibrator/road roller of capacity 10t etc. as per CPWD/ MOST specifications, drawings and instructions of Engineer-in-Charge. The contractor may assess the quantity and grading of stone metal based		
Supply and fixing of Sliding gate ( MS SQUARE TUBE AND CHANNELS,16 gauge GI SHEET ) including ms baring wheel and roller& suitable size gas cutting and welding and grinding and epexie painting and fixing of posts including and earthwork all materials,labour, tools,scaffolding etc., complete  Supply and fixing of sliding gate motor AC servo motor BSH - 3.4 N.m - 2500 rpm - keyed shaft - with brake and rack (27 feet) and starter including fixing ,testing etc., (gate size 27 feet length 4 feet height)  Providing and laying pre-cast machine made interlocking pressed concrete block for rubber mould zig zag design of overall size 200mmx100mmx1000mm (approx) with minimum crushing strength of 50N/m2, dimensional tolerance of +3mm maximum water absorption limit of 3% to 5% and dry density 2.25 T/Cum to 2.375 T/Cum blocks to be laid on coarse sand bed of average 50mm thick properly levelled by machine vibration, sealing, interstices with sand complete with all materials and labour as per direction of Engineer in charge.  Constructing Wet Mix Macadam having 100mm compacted thickness with crushed stone aggregate, complete with all materials, transportation, labour, compaction and rolling with plate vibrator/road roller of capacity 10t etc. as per CPWD/ MOST specifications, drawings and instructions of Engineer-in-Charge. The contractor may assess the quantity and grading of stone metal based		
- 2500 rpm - keyed shaft - with brake and rack (27 feet) and starter including fixing ,testing etc., (gate size 27 feet length 4 feet height)  16 Providing and laying pre-cast machine made interlocking pressed concrete block for rubber mould zig zag design of overall size 200mmx100mmx1000mm (approx) with minimum crushing strength of 50N/m2, dimensional tolerance of +3mm maximum water absorption limit of 3% to 5% and dry density 2.25 T/Cum to 2.375 T/Cum blocks to be laid on coarse sand bed of average 50mm thick properly levelled by machine vibration, sealing, interstices with sand complete with all materials and labour as per direction of Engineer in charge.  17 Constructing Wet Mix Macadam having 100mm compacted thickness with crushed stone aggregate, complete with all materials, transportation, labour, compaction and rolling with plate vibrator/road roller of capacity 10t etc. as per CPWD/ MOST specifications, drawings and instructions of Engineer-in-Charge. The contractor may assess the quantity and grading of stone metal based		
concrete block for rubber mould zig zag design of overall size 200mmx100mmx1000mm (approx) with minimum crushing strength of 50N/m2, dimensional tolerance of +3mm maximum water absorption limit of 3% to 5% and dry density 2.25 T/Cum to 2.375 T/Cum blocks to be laid on coarse sand bed of average 50mm thick properly levelled by machine vibration, sealing, interstices with sand complete with all materials and labour as per direction of Engineer in charge.  17 Constructing Wet Mix Macadam having 100mm compacted thickness with crushed stone aggregate, complete with all materials, transportation, labour, compaction and rolling with plate vibrator/road roller of capacity 10t etc. as per CPWD/ MOST specifications, drawings and instructions of Engineer-in-Charge. The contractor may assess the quantity and grading of stone metal based		
with crushed stone aggregate, complete with all materials, transportation, labour, compaction and rolling with plate vibrator/road roller of capacity 10t etc. as per CPWD/ MOST specifications, drawings and instructions of Engineer-in-Charge. The contractor may assess the quantity and grading of stone metal based		
on the mix design conducted at laboratory in order to optimize the cost. (approx 20% each of aggregate materials ranging from 40mm (over 20mm) down size to 6.5mm).		
18 Fixing of existing asbestos sheet ,wall glading work and Jor L bolt including Scalfolding, labour,tools are taken complete etc.,		
Partition Work for Closing two sides of existing portions of the shed: Old sheet partition work and door, old pipe grouting old sheet fixing work, white wash sheet as per site engineer instruction.		
Providing and painting two or more coats of APEX WATER PROOF CEMENT PAINT of approved shade, including one coat of cement primer application, including cost and conveyance of all materials, leads and lifts, curing, labour charges etc for external walls as directed. Rate to be applicable at all heights, level surfaces and textures.  Total Basic		
Total Amt.	%	

Company Seal	Signature	
	Name	
	Designation	
	Company	
	Date	

F- ANNEXURE-III

### **CONDITIONS FOR ONLINE BID SUBMISSION**

#### 1. Registration with eProcurement platform:

For registration and online bid submission bidders may contact HELP DESK of M/s C1 India Pvt., Ltd. Contact Nos. and email IDs for C1 India helpdesk officers

1.Ms. Ritu Patil (Mumbai), +91-0124-4302000 (Ex-236) (Monday-Friday)

Email - ritu.patil@c1india.com

- 2. Mr. Tirtha Das, Mob +91 -9163254290 Email tirtha.das@c1india.com (Kolkata / Monday -Friday)
- 3.Mr.CH.Mani Sankar (Chennai),+91- 6374241783 Email— <a href="mailto:chikkavarapu.manisankar@c1india.com">chikkavarapu.manisankar@c1india.com</a> (Chennai / Monday -Saturday)
- 4.Helpdesk Support (Kolkata) Email <a href="mailto:blsupport@c1india.com">blsupport@c1india.com</a> (Monday Saturday) +91 -8017272644

Escalation level 1- Mr.Tuhin Ghosh, Mob. +91-8981165071 Email - tuhin.ghosh@c1india.com

Escalation level 2 -Mr.Sandeep Bhandari /sandeep.bhandari@c1india.com +91-8826814007

#### Requisites Before Login to System (Software requirements.)

Minimum System Requirements:

- •Pentium III or Later Processor
- •Minimum of 128 MB of RAM
- •Minimum 1 USB port (If Certificate is in USB Token)
- •DSC Dongle driver should be installed before logging in
- •Reliable Internet Connectivity
- •Certificate with full chain
- •Certificate should not be expired it should be valid certificate

#### **Operating System:**

- •Windows 2000 Professional
- Windows XP

### **Browser Version:**

•Internet ExplorerVersions 6.0 SP2 and above

#### **Java Component:**

- Go to Control panel>Add/Remove Programs>
- •Check whether Java Runtime Environmentis installed on your machine or not.

#### 2. Procedure for Bid Submission

The bidder shall submit his response through bid submission to the tender on e. Procurement platform at https://balmerlawrie.eproc.in by following the procedure given in the Catalogue.

#### 3. Digital Certificate authentication:

## Balmer Lawrie & Co. Ltd.

#### Tender No.0100LE1977 dated 12.10.2021

SBU: Industrial Packaging

The bidder shall authenticate the bid with his Digital Certificate (Class III) for submitting the bid electronically one. Procurement platform and the bids not authenticated by digital certificate of the bidder will not be accepted on the e.Procurement platform.

All the bidders who do not have Digital Certificates need to obtain Digital Certificate. They may contact Help Desk of C1 India Pvt. Ltd.

#### 4. Bid Submission Acknowledgement:

The user should complete all the processes and steps required for bid submission. The successful bid submission can be ascertained once acknowledgement is given by the system through bid submission number after completing all the processes and steps. Tender Inviting Authority and C1 India Pvt. Ltd. will not be responsible for incomplete bid submission by users. Users may also note that the incomplete bids will not be saved by the system and are not available for the Tender Inviting Authority for processing.

### 5. Submission of Hard copies:

After submission of bid online, the bidders are requested to submit necessary documents if any which cannot be uploaded online to the Tender Inviting Authority before the due date at our Ballard Estate Office at 5, J.N. Heredia Marg, Ballard Estate, Mumbai-400 001. BL shall not take any responsibility for any delay or non-receipt of said documents. If any of the documents furnished by the bidder is found to be false / fabricated, the bidder is liable for black listing, cancellation of work and criminal prosecution.

#### **Disclaimer Clause**

The Company (Balmer Lawrie & Co. Ltd.) nor the service provider (C1 India Pvt. Ltd.) is responsible for any failure of submission of bids due to failure of internet or other connectivity problems or reasons thereof.

G - ANNEXURE- IV

(To be provided by successful bidder only)

#### **GUARANTEE AGAINST ADVANCE PAYMENT**

(ON NON-JUDICIAL PAPER OF APPROPRIATE VALUE)

THIS	UNDERTAKING			•			•
BALM within	nafter referred to as "the Ba ER LAWRIE & CO. LTD., 5, I the meaning of the Compa ta – 700 001 (hereinafter ref	ank" which J N Heredia anies Act, 19	expression sha Marg, Ballard 956 and having	ll include its so Estate, Mumb its Registered	uccessors and ai – 400 001	d assigns) in fa an existing co	avour of ompany
Contra execu Comp shall in	REAS Messrs/Mr	to as "the sentatives, so the Compa (set out hereinafter ontract/agre	Contractor" who was any's Letter of the purpose referred to as ement entered	hich expression assigns) has Acceptance at a total "the said Corinto by the Co	on shall inclubeen awarde and/or Orde value of ntract" which ompany with	de their/his/ited a contract r No Rs ( I terms or exp the Contracto	ts heirs, by the dated. (Rupees pression or at any
the contra Agree sum c gross	WHEREAS the Company agree Contractor, at the research the terms and condition ment") on production of an of Rs (Rupee accepted value of the Running Account Bill.	equest of only ) for ns to be mu i irrevocable	the Contrautilisation in the utually agreed undertaking f	ctor a su le performand upon (herein rom a Bank to ly) with intere	m of Rs te of the wor after referre to reimburse t est, if any, by	k covered by to as "the line Company to deduction from the company to the line company to the company to	(Rupees the said Lending the said rom the
uncon demai the C	THEREFORE, in consider aditionally undertakes to pand, from the Company with ompany in writing from the company in writing from the consideration in the company with the company in	ay to the C protest or c ne Bank wit	company at lemur or proof th reference to	or condition and this undert	e of paymer any and all ar	nt) forthwith nounts demai	on first nded by

AND the Bank doth hereby further agree as follows:

The Company shall have the fullest liberty without reference to the Bank and without affecting in any way the liability of the Bank under this undertaking, at any time and/or from time to time to vary the said contract and/or any of the terms and conditions thereof or of the said Advance and/or to extend time for performance of the said contract and/or payment of the said Advance in whole or part or to postpone for any time and/or from time to time any of the said obligations of the Contractor and/or the rights, remedies or power

exercisable by the Company against the Contractor and either to enforce or forbear from enforcing any of the terms and conditions of or governing the said Contract and/or the said Advance, or the securities, if any, or any of them available to the Company and/or to initiate any proceeding against the Contractor in connection with any matter including the proceeding for realisation of the Company's dues and the Bank shall not be released from the under these presents and liability of the Bank shall remain in full force and effect notwithstanding any exercise by the Company of the liberty with reference to any or all the matters aforesaid or by reason of time being given to the Contractor or any forbearance, or omission on the part of the Company or any indulgence by the Company to the Contractor or of any other act, matter or thing whatsoever which

ii)

#### Tender No.0100LE1977 dated 12.10.2021

under any law could (but for this provision) have the effect of releasing the Bank from its liability hereunder or any part thereof).

As between the Bank and the Company for the purpose of this undertaking the amount

	manded by the Company from the Bank with reference to this undertaking shall be final and he Bank as to the amount payable by the Bank to the Company hereunder.
the Contractor Company, and instructions by payment to the	The liability of the Bank to the Company under this undertaking shall remain in full force and standing the existence of any difference or dispute between the Contractor and the Company, r and the Bank and/or the Bank and the Company or the liability of the Contractor to the I notwithstanding the existence of any instructions or purported instructions or purported the Contractor or any other person to the Bank not to pay or for any cause withhold or defer e Company under these presents, with the intent that notwithstanding the existence of such pute or instruction, the Bank shall be and remain liable to make payment to the Company in
on condition th	Irrespective of any dispute between the M/s and the Company, the his guarantee shall not be stopped for any reason and this guarantee is being issued by the bank hat M/s shall always ensure that the operation of this bank guarantee is no my Stay by Law.
v) of the Contract the Contractor	This undertaking shall not be affected by any change in the constitution of the Bank or that tor or the Company or any irregularity in the exercise or borrowing powers by or on behalf of .
-	This undertaking shall be valid for all claims/demands made by the Company to or upon the day of
vii) (Designation) t thereby.	The Bank doth hereby declare that Shri who is the who is the sank to bind the Bank the Bank is authorised to sign this undertaking on behalf of the Bank and to bind the Bank
	Yours faithfully, For
	Name  Designation
Dated	

BANK GUARANTEE AGAINST PERFORMANCE

(ON NON-JUDICIAL PAPER OF APPROPRIATE VALUE)

#### Tender No.0100LE1977 dated 12.10.2021

## Balmer Lawrie & Co. Ltd. SBU: Industrial Packaging

Letter of Guarantee No.

Dated : the	day of
address of the Ba	is executed at Mumbai on the day ofbyby(set out full name and ank) (hereinafter referred to as "the Bank" which expression shall unless expressly executed or repugnant to the ng thereof mean and include its successors and assigns).
meaning of the C referred to as "th for (set out purpo Contractor) (here include the partne Contractor for the	r Lawrie & Co. Ltd. 5, J N Heredia Marg, Ballard Estate, Mumbai – 400 001, India, an existing company within the Companies Act, 1956 and having its Registered Office at 21, Netaji Subhas Road, Kolkata – 700 001 (hereinafter e Company") issued a Tender being No. dated (hereinafter referred to as "the said Tender") ose of the job) and pursuant thereto M/s. (set out full name and address of the inafter referred to as "the Contractor" which term or expression wherever the context so requires shall mean and er or partners of the e time being/his/its heirs, executors, administrators, successors and assigns) (delete which are not applicable) has Tender and field its quotation.
	he quotation of the Contractor had been accepted by the Company and in pursuance thereof an Order being sed (hereinafter referred to as "the said Order") has been placed by the Company on the Contractor for of the job).
expenses a Bank of the terms and of dated the	nder the terms of the said Order the Contractor is required to furnish the Company at their/his/its own costs and Guarantee for Rs(Rupees
	ne quotation of the Contractor has been accepted by the Company and in pursuance thereof an Order being No. : lated (hereinafter referred to as "the said Order") has been placed by the Company on the Contractor use of the job).
expenses a Bank the terms and condated theCompany of the o	nder the terms of the said Order the Contractor is required to furnish the Company at their / his / its own costs and guarantee for Rs (Rupees only) as performance guarantee for the fulfillment of nditions of the said Tender and to do execute and perform the obligations of the Contractor under the Agreement day of (hereinafter referred to as "the Agreement") entered into by and between the one part and the Contractor of the other part, the terms of the said Tender and the terms contained in the said order shall include all amendments and / or modifications and / or variation thereto.
/ his / its obligation	ne Contractor had agreed to provide to the Company a Bank Guarantee as security for the due performance of their ons truly and faithfully as hereinbefore mentioned.  ANTEE WITNESSETH as follows:
the Bank) the Bar	deration of the aforesaid premises at the request of the Contractor, we
whatsoever a sum receipt of a writte be caused to or so	
aforesaid and the Guarantee is limit	arantee is issued as security against due performance of the obligations of the Contractor or under the Agreement said Tender and the said Order hereinbefore mentioned and subject to the conditions that our liabilities under this ted to a maximum sum of Rs

This Guarantee shall not be affected by any amendment or change in the Agreement or change in the constitution of the Bank and/or the Company and/or the Contractor.

#### Tender No.0100LE1977 dated 12.10.2021

### PROFORMA OF BANK GUARANTEE FOR SECURITY DEPOSIT

Balmer Lawrie & Co. Ltd. MUMBAI – 400 001 India.

Dear S	ir,			
referre	Messrs/Mr.       (set out full named to as "the Contractor") filed the contractor (hereing the contractor)         Messrs/Mr.       (hereing the contractor)         Mo.       (hereinaft)	eir/his/its quotation a after referred as ut the purpose of the	against your Tender being "the said Tender") foo job) and in pursuance ther	g Tender No. the work eto an Order
only) a	nditions of the said Tender, inter alia, is full security deposit (hereinafter referm of payment of security deposit inc	erred to as "the security	deposit") in the form there	in mentioned.
their/l having	id Messrs/Mr (set or nis/its request and in consideration of our office, inter alia at	the premises We	(set out full nam	e of the Bank)
Messr of the We, protes	(set out full name of s/Mr(set out full name of the secu secu full name of the secu full name of the secu that full name of the shall pay you the said amount of Receeding the said sum as you may demone of the said sum as you may demone of the said sum as you may demone secular s	of the Contractor) in perity deposit or any other the Bank) shall merely (Rupees	erforming any of the terms a er or in payment of money p y on demand from you with only) or such p	and conditions ayable to you.
Conditextenders time a conditext relieves Contra	We,	ries from the Contractor cessrs/Mr	or and/or to vary any of the set out full name of the Coro postpone for any time or of forbear or enforce any of et out full name of the Banay indulgence to be given by	ne Terms and obtractor), or to from time to the terms and k) shall not be by you to the
	Your right to recover the said sum or er aforesaid will not be affected or sus ng before any Officer, tribunal, court o	spended by reason of the	ne fact that any dispute or o	
full na	The guarantee herein contained shation or change of constitution or insome of the Contractors), but shall in an of all the money due to you in resp	olvency of the said Me all respect, and for all	ssrs/Mrpurneling and c	(set out the
5.	Our liability under this guarantee is	restricted to Rs	(Rupees	only).

### Tender No.0100LE1977 dated 12.10.2021

SBU: Industrial Packaging
6. Our guarantee shall remain in force and effect until (set out the date of expiry) and unless a claim or demand in writing is made against us under this guarantee before the expiry of six months from the aforesaid date i.e
We, (set out full name of the Bank) undertake not to revoke this Guarantee during its currency except with your previous consent in writing.
We,
Yours faithfully,
Dated:
(Date)

**GST Compliances** 

#### H- Annexure -V

- [1] Vendor to comply with all requirements under GST and provide their GST Registration details as per Annexure-VI attached
- [2] Vendor to issue a valid invoice with correct and complete disclosures as required under GST invoice rules and payments shall be processed only post receipt of correct invoice from the vendor
- [3] Vendor has to provide clear indication of place of supply [Invoicing location] related to place of supplies [BL location].
- [4] Vendors are required to raise invoice as per the GST tax structure.
- [5] Vendors to ensure that all invoices submitted are compliant with GST Laws. Any discrepancies in the Invoice which results in tax credit loss to Balmer Lawrie will be recovered from vendors.
- [6] In case of advance payment against goods/services, vendor to ensure payment of tax as per GST Laws.
- [7] Balmer Lawrie will keep a watch on compliance rating of their vendors as per the GST portal. If at any time such rating falls below prescribed criteria, Balmer Lawrie will have right to terminate the services without any prior notice to vendor.
- [8] Vendor should compulsorily follow all the provisions of GST and in the event any default for fulfilling any provisions of the Act, BL would exercise the right for non-payment/withholding payment / black listing the vendor / debarring the vendor from participating in future tenders for a certain period [to be decided by BL].

Company Seal	Signature	
	Name	
	Designation	
	Company	
	Date	

## Balmer Lawrie & Co. Ltd. SBU: Industrial Packaging DETAILS OF VENDOR

1	Name of the Vendor	
2	Address	
3	Postal Code	
4	State	
5	Country	
6	Telephone No.	
7	Mobile No.	
8	Fax No.	
9	Email ID	
10	Contact Person	
11	Bank Name	
12	Street	
13	City	
14	Branch Name	
15	IFSC Code	
16	MICR Code	
17	Account Number	
18	Minority Indicator	
19	GSTIN Registration Number	
20	HSN /SAC Code for Supply/Service	
21	GST rate (in %) applicable for Supply/Service to be provided.	
22	Composition Scheme Applicable	Yes / No
23	Proof of GSTIN Registration No. per state [From GSTN website]	
24	Vendor's GSP name [GST Suvidha Provider's]	
25	Exemption No.	
26	Exemption Percentage	
27	Exemption Reason	
28	Exempt From	
29	Exempt To	

Balmer Lawrie & Co. Ltd. SBU: Industrial Packaging J-ANNEXURE- VII

## **VII – A -CPPP DECLARATION**

## **BIDDER TO SUBMIT ON THEIR LETTER PAD**

(APPLICABLE TO ONLY MSE VENDORS FOR AVAILING BENEFITS AS PER PUBLIC PROCUREMENT POLICY FOR MSE'S ORDER 2012.)

Date	d		
(UAI Balm	esstered as MSE supplier and ha M) Numberon Cen	, h ve registered ou tral Public Procure	nereby declare that I/We are reduced Declare that I/We are reduced Declare that I/We are reduced Declared Decla
I/We	hereby also declare the follow	ing: -	
[1] I/We belong to SC/ST category – Yes / No [Kindly tick the app			y tick the appropriate category].
[2]	One of the partner / propr appropriate category].	ietors is a femal	e — Yes / No [Kindly tick the
Comp	pany Seal	Signature	
		Name	
		Designation	
		Company	
		Date	

### Purchase Preference for Make in India and MSE suppliers

#### 1. Purchase Preference under Public Procurement (Preference to Make in India) Order:

A. For this procurement, Public Procurement (Preference to Make in India), Order 2017 dated 15.06.2017, 28.05.2018 29.05.2018 and subsequent revision issued on 04.06.2020 by the respective Nodal Ministry shall be applicable even if issued after issue of this NIT but before finalization of contract / PO / WO against this NIT. In the event of any Nodal Ministry prescribing higher or lower percentage of purchase preference and / or local content in respect of this procurement, same shall be applicable.

Definitions: for purpose of the above order.

"Local content" means the amount of value added in India which shall, unless otherwise prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value, in percent.

"Class-I local supplier" means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50%, as defined under the Order.

"Class-II local supplier" means a supplier or service provider, whose goods, services or works offered for procurement, has local content mare than 20% but less than 50%, as defined under the Order.

"Non - Local supplier" means a supplier or service provider, whose goods, services or works offered for procurement, has local content less than or equal to 20%, as defined under the order.

"L1" means the lowest tender or lowest bid or the lowest quotation received in a tender, bidding process or other procurement solicitation as adjudged in the evaluation process as per the tender or other procurement solicitation.

"Margin of purchase preference" means the maximum extent to which the price quoted by a \*Class-I local supplier' may be above the L1 1or the purpose of purchase preference.

"Nodal Ministry" means the Ministry or Department identified pursuant to this order in respect of a particular item of goods or services or works.

B. For implementation of the above order following mechanism will be adopted for operating Purchase preference under this Tender enquiry:

"All the item/s of this Tender will be considered as non -divisible

**Note:** For more details and applicability, bidders are requested to refer to Order No. P-45021/2/2017-PP (BE-II) dated 04<sup>th</sup> June 2020.

## VII -B - DECLARATION -

Authorized Signatory,

BIDDER TO SUBMIT ON THEIR LETTER PAD FOR LOCAL CONTENT		
Dated		
I/We,M/s,address, hereby declare that the proportion of imported content to Domestic content in terms of percentage (%) of the total value of quoted item/s are as follows –		
Domestic Content (%) – Imported Content (%)–		
It is also declared that the value addition for the material supplied/ to be supplied is made a following locations:		
a)		

VII -	-C -	DE	CL	4R/	١T	ON	_

#### BIDDER TO SUBMIT ON THEIR LETTER PAD -

"BID SECURITY DECLARATION"

Dated	
fail to sign the contract, c	(Name the bidder) hereby declare and accept that if we Bid during the period of validity, or if we are awarded the contract and we or fail to submit the performance security before the deadline defined in the d for the period of two years or the contact period whichever is later
Authorized Signatory,	

#### Restrictions on Ground of Defense of India and national Security:

Restrictions on procurement from a bidder of a country which shares a land border with India

- I. Any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority.
- II. "Bidder" (Seller / Service Provider) means any person or firm or company, including any member of a consortium or joint venture (that is an association of several persons, or firms or companies), every artificial juridical person not falling in any of the descriptions of bidders stated hereinbefore, including any agency branch or office controlled by such person, participating in a procurement process.
- III. "Bidder from a country which shares a land border with India" for the purpose of this Order means:
  - a) An entity incorporated, established, or registered in such a country; or
  - b) A subsidiary of an entity incorporated, established, or registered in such a country; or
  - c) An entity substantially controlled through entities incorporated, established, or registered in such a country; or
  - d) An entity whose beneficial owner is situated in such a country; or
  - e) An Indian (or other) agent of such an entity; or
  - f) A natural person who is a citizen of such a country; or
  - g) A consortium or joint venture where any member of the consortium or joint venture falls under any of the above
- IV. The beneficial owner for the purpose of (iii) above will be as under:

- 1. In case of a company or Limited Liability Partnership, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has a controlling ownership interest or who exercises control through other means. Explanation
  - a. "Controlling ownership interest" means ownership of or entitlement to more than twenty-five per cent. of shares or capital or profits of the company;
  - b. "Control" shall include the right to appoint majority of the directors or to control the management or policy decisions including by virtue of their shareholding or management rights or shareholders agreements or voting agreements;
- 2. In case of a partnership firm, the beneficial owner is the natural person(s) who, whether acting alone or together, or through one or more juridical person, has ownership of entitlement to more than fifteen percent of capital or profits of the partnership;
- 3. In case of an unincorporated association or body of individuals, the beneficial owner is the natural person(s), who, whether acting alone or together, or through one or more juridical person, has ownership of or entitlement to more than fifteen percent of the property or capital or profits of such association or body of individuals;
- 4. Where no natural person is identified under (1) or (2) or (3) above, the beneficial owner is the relevant natural person who holds the position of senior managing official;
- 5. In case of a trust, the identification of beneficial owner(s) shall include identification of the author of the trust, the trustee, the beneficiaries with fifteen percent or more interest in the trust and any
  - other natural person exercising ultimate effective control over the trust through a chain of control or ownership.
- V. An Agent is a person employed to do any act for another, or to represent another in dealings with third person.
- VI. The successful bidder shall not be allowed to sub-contract works to any contractor from a country which shares a land border with India unless such contractor is registered with the Competent Authority. Any false declaration and non-compliance of the above would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

## A. Annexure -VIII – Schematic Diagram

